

Memorandum

To George Meservey, Director of Planning & Community Development
 Michael Domenica, PE, Program Manager

CC Betsy Shreve, AICP, AECOM Project Director
 James Begley, LSP, MT Environmental
 AECOM PRB Team

Subject **Town of Orleans, MA**
Water Quality and Wastewater Planning
Task Number 10.1.B – NT Demonstration Projects
Task 10.1.B.2 - Technical Memorandum for Eldredge Park Permeable Reactive
Barrier Demonstration Project –Groundwater Monitoring Quarterly Report - Final

Project Number 60476644

From Thomas Parece, P.E., AECOM Project Manager

Date June 25, 2017

Approvals	Date	Signature / Initials
George Meservey, Orleans, MA Director of Planning & Community Development		
Michael Domenica, PE, Water Resources Associates, Program Manager		

1. Background

This purpose of this technical memorandum is to provide and summarize quarterly groundwater monitoring results as part of the Eldredge Park Permeable Reactive Barrier (PRB) demonstration program. In addition to presenting baseline and quarterly groundwater monitoring data, this memorandum also summarizes monitoring well installation and vegetable oil (EVO) substrate injections for the Eldredge Park demonstration test site. AECOM Technical Services, Inc. (AECOM) PRB Technical Team (AECOM and MT Environmental Restoration) prepared this technical memorandum for the Town of Orleans. AECOM is providing water quality and wastewater planning and engineering services to the Town to reduce excessive nitrogen loading to the Town’s ponds, estuaries and embayments.

2. Introduction

- A. The Project represents the first to implement a “Hybrid” approach under the Cape Cod 208 Water Quality Plan, which has been approved by both the United States Environmental Protection Agency (USEPA) and the Massachusetts Department of Environmental Protection (MassDEP). The Project consists of conceptual and preliminary design to update the Comprehensive Wastewater Management Plan (CWMP) completed by the Town in 2011 to reflect the Consensus Plan (Water Quality Management Plan) developed by the Town in 2015. The Project goal is to reduce the nitrate load to impacted estuaries in the most cost effective manner by maximizing the use of several non-traditional technologies (Coastal Habitat Restoration, Aquaculture, Floating Constructed Wetlands, and Permeable Reactive Barriers).

The Hybrid Plan was vetted through the Orleans Water Quality Advisory Panel (OWQAP), a panel consisting of stakeholder representatives (Orleans Selectmen and representatives of engaged citizen constituencies), and liaisons from key town boards and commissions, organizations, neighboring towns, and regional, state, and federal partners. Potential alternative planning scenarios to meet water quality standards were developed for the OWQAP.

- B. PRBs are a non-traditional treatment technology with the potential to reduce the levels of nitrate in the groundwater by treating groundwater biologically before it reaches sensitive surface water bodies such as estuaries.
- C. The results of the groundwater monitoring plans will be incorporated into an overall Adaptive Management Plan which will be implemented to evaluate the impacts of the technologies selected by the OWQAP on reducing nitrogen. AECOM will continue to work closely with the Town, its Water Quality Advisory Panel, and the regulatory agencies including the Cape Cod Commission (CCC) and MassDEP, in implementing the Adaptive Management Plan as it is critical to obtaining one of the first watershed permits granted by MassDEP.
- D. The Demonstration Test aims to provide data to assess the cost effectiveness and applicability of PRBs as a treatment alternative for the Town. It is expected that the test will demonstrate the level of nitrate removal that can be achieved with PRBs and provide data to prepare a full scale design. The Demonstration Tests will be evaluated by the following performance objectives:
 - 1) Achieve satisfactory distribution of the EVO substrate into the subsurface soils;
 - 2) Establish and maintain necessary dissolved organic carbon concentrations and anaerobic (reducing) conditions in the groundwater while maintaining groundwater flow throughout the targeted treatment area;
 - 3) Demonstrate reduced nitrate concentrations and the mass of nitrate transported in groundwater (nitrate flux) through groundwater monitoring;
 - 4) Evaluate performance through compliance monitoring and assessment of treated water quality, including potential secondary water quality affects, through a groundwater monitoring program;
 - 5) Evaluate the life expectancy of the EVO and time frame for technology performance;
 - 6) Evaluate potential impacts to sensitive receptors (surface water, private wells, etc.); and
 - 7) Obtain data for engineering evaluations and to optimize full scale design and implementation to meet nitrate reduction targets.

3. Summary of Demonstration Test – Monitoring Well Installation

A. Summary of Past Monitoring Well Installation Activities:

- 1) AECOM evaluated numerous potential sites in the Town of Orleans, including locations identified by the Town, for consideration for placement of PRB Demonstration Tests in 2016, as described in the PRB Work Plan (AECOM dated May 19, 2016). The Eldredge Park Demonstration Test site is located in the parking lot area between the Nauset Middle School playing fields and the Town-owned Eldredge Park baseball field. The demonstration site is owned by Nauset Public Schools. The Nauset Regional School Committee granted permission to install monitoring wells and conduct the PRB Demonstration Test at this location. Town Cove is located approximately 2,400 feet to the northeast of the Eldredge Park PRB Demonstration Test site. Groundwater generally flows in a northeasterly direction, toward Town Cove (Figure 1).
- 2) Existing groundwater monitoring wells were identified at the Nauset Regional Middle School (NRMS) in the recreational field and parking lot area. These wells were installed in 1992 as part of an ongoing program to monitor groundwater in the vicinity of the NRMS wastewater treatment facility's leaching fields. An irrigation well for Eldredge Park was also identified near the corner of Eldredge Park and South Orleans Road with an available boring log and groundwater quality data.

- 3) In September 2016, four groundwater monitoring wells were installed in the selected demonstration test area. Water levels were measured and the groundwater flow direction was estimated. The orientation of the proposed PRB was modified before installing the remaining 19 groundwater monitoring wells in October 2016. All 23 groundwater monitoring wells were installed in order to allow for water quality measurement upgradient, downgradient, and cross-gradient of the demonstration PRB. One of the existing groundwater monitoring wells (MW-12) was also used as an upgradient well. Two wells (MW-12A and MW-12B) were installed at this location to monitor groundwater at deep and intermediate depths, respectively. The monitoring well network includes monitoring wells located along two transects (A to A' and B to B') oriented upgradient to downgradient in the direction of groundwater flow, perpendicular to the PRB layout. The location of all demonstration test monitoring wells can be seen on Figure 1. Cross-sections showing the multi-level monitoring well screen intervals along transects are presented in Figure 2 and Figure 3.

B. Summary of Additional Monitoring Well Installation Activities:

- 1) In March 2017, four additional groundwater monitoring wells were installed in order to expand the range of monitoring. A deep well (MW-B2075A) was installed at MW-B2100C (formerly referred to as MW-2100), which previously only had a shallow well. This will allow for a better understanding of the impact of the PRB injections at depth. MW-BC2B is an intermediate well that was installed approximately 50 feet east of MW-B2050A/B/C. This is a cross-gradient well that will provide a better understanding of the groundwater flow direction in this area.
- 2) MW-BX1B and MW-BX1C are intermediate and shallow wells, respectively, that were installed approximately 20 feet northwest of where EVO was injected during the November 2016 demonstration injection activities. The purpose of installing these two wells is to better understand the groundwater flow pattern across the site. Previous surfer plot data (summarized in the Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities, and Post-Injection Groundwater Monitoring (AECOM, March 2017)) indicates that the shallow wells may be impacted by Boland Pond and/or the finer material described at MW-1, which is located to the northwest of the site. The infiltration of stormwater through stormwater leaching basins located under the Middle School parking lot also may be impacting groundwater flow and will continue to be monitored via these wells during the remainder of the demonstration test monitoring program.


- C. Monitoring wells were surveyed by Coastal Engineering for location and top of PVC casing elevation to the nearest 1/100 foot. Top of PVC casing elevations are included in Table 1, and the well coordinates are included in Appendix A. The screen intervals were typically 40 to 50 feet bgs in shallow "C" wells, 55 to 65 feet bgs in intermediate "B" wells, and 70 to 80 feet bgs in deep "A" wells. The depths to groundwater from the top of well casings were used to determine groundwater elevations and estimate the local direction of groundwater flow. The depth to groundwater ranged from approximately 30 to 35 feet bgs. Groundwater elevation data is included in Table 2. Field parameters and analytical results from monitoring well samples are shown in Table 3.

- D. Groundwater contours indicate flow to the northeast through the PRB with local variations in direction in shallow and deeper groundwater in the vicinity of the PRB. Variations in local flow direction may be associated with heterogeneities in the aquifer material (i.e. finer silts and clays vs. coarser sands), and other factors including Boland Pond, stormwater recharge through stormwater leaching basins, and wastewater recharge from the Nauset Regional Middle School system located under the soccer field. Groundwater elevation and flow direction data will be monitored over the remainder of the Demonstration Test.

4. Summary of Demonstration Test – Carbon Substrate Injection

A. PRB Treatment Process Description

- 1) PRBs are a passive treatment technology, designed in this application to intercept and treat nitrate in groundwater through biological denitrification before groundwater reaches downgradient surface waters. The PRB treatment zone is located in the groundwater saturated zone below the water table, where amendments are added to form the PRB. PRBs are typically oriented perpendicular to the direction of groundwater flow and rely on the natural groundwater gradient to carry the contaminant through the PRB (ITRC, 2011). The system is permeable because the amendments added are designed not to interfere with groundwater flow.
- 2) The PRB in-situ (in place in the ground) treatment method typically introduces a carbon food substrate into the aquifer, allowing naturally occurring microbes in the aquifer to consume the carbon substrate while respiring oxygen and creating anoxic conditions (without oxygen) favorable for denitrifying bacteria. Under anoxic or anaerobic conditions, maximum energy is gained by microbes using nitrate as an electron acceptor (denitrification reaction). Nitrate is the preferred electron acceptor to soil microbes after dissolved oxygen in the groundwater is consumed. This process of bacterial metabolism results in the conversion of nitrate to inert nitrogen gas and requires both anoxic conditions and sufficient food substrate for bacterial growth.



B. Demonstration Test Layout

The current PRB Demonstration test is oriented northwest to southeast (perpendicular) to the northeasterly regional groundwater flow direction and is approximately 110 feet long. Future full-scale PRBs or sections of PRBs are anticipated to be longer (500 to 3,000 feet, depending on the location). Demonstration Test locations are shorter in length, selected to assess construction/implementation, and allow adequate monitoring of groundwater conditions in the vicinity of the PRBs to monitor the demonstration. A vertical treatment interval from the top of the groundwater table to approximately 35 feet into the saturated soils was selected for this Demonstration Test PRB.

C. Reactive Amendment Application Method

PRBs have been designed and implemented through several construction methods. During this demonstration test, direct-push methods were used to place the EVO substrate in the subsurface. Direct-push injection is a method of soil boring modified with a down-hole injection screen and tubing used for placement of organic carbon electron donor EVO substrate. The direct-push injections are temporary injection points that are sealed following injection.

D. PRB Demonstration Test Substrate and System Details

An EVO solution with a larger droplet size was selected so that the EVO droplets will adhere to sand grains in the formation to minimize the advection, or distribution, of EVO after injection. EVO adheres to the sandy aquifer material in the treatment zone and provides a slow release of soluble organic carbon compounds that are distributed by advection, dispersion, and diffusion in groundwater. A larger droplet size will also maximize the persistence of the carbon substrate within the PRB. For this demonstration test, Terra System's 60 percent Large Droplet Slow Release EVO for Nitrate Reduction (SRS-NR) was used. The SRS NR is a modified formulation developed so that the emulsion is "stickier" in order to reduce migration after injection and increase persistence. Injecting EVO diluted with water enhances the distribution of EVO in the subsurface. The 60 percent EVO was mixed with water making a 15.5 percent solution for injection. Product information, including the Material Safety Data Sheets (MSDS) for EVO substrate was presented in Appendix B of the *Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities and Post-Injection Groundwater Monitoring – Final (AECOM, March 2017)*.

For in-situ remediation technologies, delivery of an appropriate amount of injected amendments is a primary factor to achieving successful treatment. Sufficient carbon substrate/electron donor material must be applied to establish nitrate reducing conditions in the PRB. Calculations supporting amendment dosages were presented in Appendix C of the *Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities and Post-Injection Groundwater Monitoring – Final (AECOM, March 2017)*. The Substrate Estimating Tool for Enhanced Anaerobic Bioremediation of Chlorinated Solvents developed for the Environmental Security Technology Certification Program (ESTCP) was used to support EVO quantities for the PRB Demonstration Tests. This tool estimates quantities of various carbon substrates to provide sufficient amendment for the sum of electron donor demand from electron acceptors (dissolved oxygen, nitrate, and sulfate) as well as dissolved volatile organic compounds if present. For the Demonstration Test, the EVO dosage was determined primarily to meet the electron donor demand based on site conditions including expected nitrate concentrations. Actual quantities of EVO used to establish the Demonstration Test treatment zone are summarized in Table 4-1 and can be seen on the injection field reports shown in Appendix D of the *Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities and Post-Injection Groundwater Monitoring – Final (AECOM, March 2017)*.

The metabolism of added carbon substrate by soil microbes can result in a decrease in groundwater pH, and a neutralization agent (i.e., sodium bicarbonate) is sometimes injected with the carbon substrate to counteract changes in pH. Groundwater pH is typically between pH 5.5 and pH 6 across Cape Cod. Denitrifying bacteria are most active in circumneutral groundwater (pH 6 to 8). Based on groundwater data indicating a lower pH (5.5-6.5) at the site, sodium bicarbonate was used as a pH buffer with the EVO. Approximately 10.3 pounds of sodium bicarbonate was added per 300-gallons of EVO solution.

Table 4-1 - Summary of Design Parameters for Permeable Reactive Barrier Demonstration Test

Parameter	Demonstration Test Site
Area Description	Parking lot between the playing fields off Eldredge Park
Depth to Ground Water	30 to 40 feet below grade
Demonstration Test PRB Length	110 feet
Injection Interval	38 to 68 feet below grade
Injection Point Spacing	10 feet
Injection Points	17
Injection Pore Volume	12 percent (assumed effective porosity of 25 percent)
Total Injection Volume (gal)	10,800
Injection Volume Per Point (gal)	600 (Three points received 720, 820, 860 gal in order to use the remainder of the EVO.)
EVO Dilution	15.5 percent (~3.9:1 dilution from 60 percent EVO delivered)
Total EVO (gal)	2,620 (60 percent soy bean oil)

E. Substrate Delivery Record

Isotec, Inc. performed the injections on November 15 through 18, 2016 with oversight by the AECOM PRB Team. Injection of carbon substrate was performed directly through direct-push (i.e., GeoProbe®) rods, configured in 4-foot or 8-foot intervals with thin, laser cut injection holes. During the Demonstration Test, there were few geological limitations observed. The majority of the EVO was injected successfully with wellhead/injection pressure reading of 0 psi indicating no measureable resistance to injection. Several wells had higher wellhead pressures, close to 20 psi, particularly at their deepest intervals (56 to 68 feet). The higher pressure may indicate injection into lower permeability material such as finer sand and silt. All wellhead pressure observations can be seen on the daily injection reports in Appendix D of the *Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities and Post-Injection Groundwater Monitoring – Final* (AECOM, March 2017). The 17 injection points were spaced approximately 10 feet apart. The western side of the PRB consisted of seven points, spaced 10 feet apart. In order to assess the effect of injection point density and injection volume, the eastern side of the PRB consisted of 10 points configured in two parallel, offset lines of five points each. The five points were spaced approximately 10 feet from each other. The second line was five feet downgradient and off-set by five feet. Injection locations are depicted on Figure 1.

F. Field Injection Activities

The system for preparation, mixing, and injection of substrate solutions consisted of mixing tanks, mixers, pumps, piping, meters, valves, and fittings. All components were selected from materials that are compatible for use with the selected amendments. Injection batches were prepared in 300-gallon plastic tanks by adding appropriate quantities of water to achieve the selected dilution concentration. Mobile above-ground pumps and hoses were used to convey EVO directly to the injection points. Flow totalizers, pressure gauges, and shut-off valves were used to monitor injection pressure, flow rates, and total volume added to each injection interval at each injection point.

At each injection point, a direct-push drill rig advanced injection tooling to a targeted depth of 68 feet below grade. Seventy-five gallons of the diluted EVO solution were injected per four-foot interval. Both 4-foot and 8-foot injection points were used for injection. -The injection rods were lifted up four (or eight) feet to the subsequent injection target depth and the process was repeated. This method of direct-push injection is referred to as bottom-up injection. To minimize mounding and improve delivery, injection was generally not performed at adjacent points at the same time. A field log was maintained to record the solution composition, volume of solution delivered to each injection interval at injection point, length of time required for injection, and the injection pressure. Electricity to power remediation equipment was provided by a gasoline-powered generator. Potable water for batching and injection was collected from a nearby hydrant.

5. Permitting

The EPA Underground Injection Control (UIC) Program is responsible for regulating the construction, operation, permitting, and closure of injection wells that place fluids underground for storage and disposal. The UIC Program requirements were developed by EPA and designed to be adopted by states. The Massachusetts Department of Environmental Protection (MassDEP) UIC Program is defined in 310 CMR 27.00: Underground Injection Control Regulations and details the regulation of injection of fluids within Massachusetts.

To implement the Demonstration Test a UIC permit application (MassDEP form BRPWS 06) was filed with MassDEP under the category "Aquifer Remediation." Similar injections of carbon substrates to enhance biodegradation of chemicals in groundwater have been commonly implemented in Massachusetts. Many of these sites are exempt from the UIC registration process if the injections are conducted for waste site cleanup in accordance with the Massachusetts Contingency Plan (MCP, 310 CMR 40.0000) or similar federal statutes. In implementing the Demonstration Test all injections associated with the PRB complied with the requirements of the Massachusetts UIC regulations and the MCP requirements, including all required monitoring. MassDEP issued UIC Registration ID# MAS41A224209-5B6 for the Demonstration Test.

6. PRB Demonstration Test Performance Monitoring Plan

A. General

Performance monitoring of the PRB Demonstration Test is being implemented to assess nitrate reduction, concentrations of biogeochemical indicators, and the distribution of the injected reagents. It is anticipated that the monitoring program will be frequently evaluated and modified to respond to observations, adjusting the monitoring as necessary. This section details the performance monitoring program.

Groundwater samples will be collected from selected monitoring wells in the Demonstration Test area. The monitoring well network includes multi-level monitoring wells upgradient and downgradient of the PRB. These wells are aligned in two transects in addition to cross gradient and more regional monitoring wells. The monitoring network plan view is presented on Figure 1 and PRB monitoring well cross sections are shown on Figure 2 and Figure 3. The monitoring wells upgradient and downgradient of the PRB will be used to evaluate changes to nitrate concentrations and groundwater quality based on PRB performance. Monitoring wells downgradient of the PRB are located at selected distances from the PRB along the transects to assess distance of emulsion travel, extent of reducing conditions for denitrification, potential for metals mobilization, and for collection of groundwater elevation data for flow direction and groundwater flow velocity monitoring.

B. Sampling Method, Frequency, and Analyses

Groundwater samples are collected using a submersible pump. Groundwater quality parameters measured in the field include pH, oxidation reduction potential (ORP), dissolved oxygen (DO), specific conductivity, temperature, and turbidity. Field parameters are monitored with the use of a multi-parameter probe in a flow-through cell. Samples are collected after field water quality parameters stabilize.

Groundwater samples were collected prior to EVO injection to provide a comparative baseline to evaluate performance of the Demonstration Test. Baseline groundwater samples were analyzed to determine pre-treatment concentrations of nitrate and other indicator parameters whose change will be indicative of the impact of the PRB. In addition, a synoptic water level event was conducted after additional monitoring wells were installed, but prior to the start of injections, to further assess the groundwater flow direction and gradient.

During injection activities, select groundwater wells were monitored for field parameters (pH, temperature, dissolved oxygen, oxidation-reduction potential, and conductivity). Additionally, the EVO vendor Terra Systems monitored the 10 foot and 20 foot downgradient monitoring wells using an in-well probe for these same parameters in order to observe any potential changes during injection. During the third full day of injections, select wells were sampled and analyzed for dissolved organic carbon (DOC) and alkalinity to estimate whether there had been any EVO migration. Generally DOC and alkalinity test results did not indicate EVO migration. Visual monitoring at test wells located 10 foot and 20 foot downgradient of injection points indicated sporadic observation of higher turbidity and what may have been dilute EVO during injection.

The first post-injection sampling event was a stand-alone sampling event approximately 7 weeks after the injections with samples collected on January 5, 2017 and January 10, 2017. It is anticipated that additional routine groundwater sampling will be performed quarterly for a period of three years. Primary objectives of the post-injection sampling will be to:

- 1) Assess potential reduction in nitrate concentrations in groundwater compared to baseline samples and/or wells upgradient of the PRB;
- 2) Identify distance traveled by EVO emulsion and DOC;
- 3) Identify extent of generated reducing conditions;
- 4) Evaluate potential for reduction in aquifer permeability as a result of EVO application;

- 5) Evaluate persistence of EVO emulsion and anaerobic conditions favorable for denitrifying bacteria after PRB injection; and
- 6) Assess changes in groundwater monitoring parameters as a result of the PRB.

As a result of the generation of reducing conditions in groundwater, temporary mobilization of some metals native to the aquifer material may result. Laboratory analysis of select metals will be conducted as part of performance monitoring in select wells. Table 6-1 presents an overview of the Demonstration Test performance monitoring analyses and relevance to the PRB Demonstration Test. It is anticipated the monitoring program will be dynamic and continuously evaluated to adjust the selected monitoring parameters and frequency of monitoring based on data collected and observations.

Table 6-1 - Summary of Analyses for Groundwater Performance Evaluation

Parameter	Relevance to PRB Demonstration Test
Nitrate	Primary groundwater compound targeted for treatment.
Nitrite	Intermediate nitrogen species from the aerobic nitrification of ammonia to nitrate.
Ammonia	Reduced inorganic nitrogen species that occurs in proximity of septic system leach fields and landfills.
Total Nitrogen	Analyses provide a summation of all organic and inorganic nitrogen species in groundwater as a result of leach fields and landfill.
CENSUS-DNA (Denitrifying Bacteria)	Analysis quantifies relative abundance of denitrifying bacteria.
Metals (Fe, Mn, As)	Mobility of metals can be impacted by groundwater geochemistry changes, notably pH and ORP.
DOC	Dissolved Organic Carbon is the limiting factor in enhancing denitrification-and is increased by injection of EVO. DOC tracks the area of influence of the PRB.
Sulfate	Sulfate will decrease with generation of sufficiently anaerobic conditions favorable for sulfate-reducing bacteria.
pH	Denitrification optimal pH (6.0 and 8.5). Groundwater pH can decrease as a result of fermentation of injected carbon substrates.
ORP	ORP will decrease with generation of reducing conditions following injection of carbon substrate.
Chloride	Chloride concentrations indicate potentially infiltrating stormwater.
Alkalinity	Denitrification reactions generate alkalinity (3.57 mg of CaCO ₃ for each mg of nitrate reduced).
Boron	Boron is present in laundry detergents and is an indicator of groundwater flow emanating from leach fields.

7. PRB Demonstration Test Performance Monitoring Results To Date

A. Baseline Groundwater Monitoring

Preliminary baseline groundwater monitoring samples were collected on October 4, 2016 at a total of six wells, including three previously existing wells that are part of the Nauset Middle School quarterly sampling plan. After additional PRB demonstration monitoring wells were installed, baseline groundwater monitoring sampling was conducted. This sampling occurred on November 3, 2016 and November 4, 2016, where a total of 21 groundwater samples were collected. Field parameters and analytical results are shown in Table 3. Overall, baseline sampling indicated nitrate concentrations ranging from 0.357 mg/L (MW-BU2A) to 37 mg/L (MW-1050A).

B. Monitoring during Injection Activities

During the demonstration injections, field parameters were monitored at select upgradient and downgradient wells. Overall, no distinct patterns between the field parameters (temperature, pH, dissolved oxygen, conductivity, and turbidity) were observed before, during, and immediately following the injections. Raw field data, as monitored by TerraSystems and AECOM, is included in Appendix D of the *Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities and Post-Injection Groundwater Monitoring – Final (AECOM, March 2017)*.

Laboratory dilutions were completed by Terra Systems producing stock solutions of EVO at various dilutions to determine a reasonable correlation between turbidity and the estimated SRS-NR concentrations. Based on these dilutions and the turbidity measured, data suggests the potential for movement of the SRS-NR emulsion up to 20 feet from the injection at certain depths. However, the conductivity was variable and did not correlate to turbidity. Field visual observations did not indicate significant quantities of emulsion at the downgradient wells. There was potentially a dilute “milky” coloration to the groundwater at the 10 foot and 20 foot wells, however, these observations were soon followed by indications of “clearer” water. These observations support the target area distribution of EVO along the PRB. EVO was not observed following completion of injection indicating the injected material was stable and not migrating.

Groundwater samples were collected from seven wells on November 17, 2016 and analyzed for alkalinity and DOC. Alkalinity was measured as a potential indication of the pH buffer that was added with the injections and DOC was measured as a potential indication of the EVO. The alkalinity at the downgradient wells (MW-1010C, MW-1020C, MW-2010C, and MW-2020B) ranged from 11 to 20 mg/L, which is slightly higher than the upgradient and cross-gradient wells (MW-12C, MW-BC2C, and MW-BU2C), which ranged from 4 to 13 mg/L. DOC ranged from 0.576 to 0.852 mg/L and was similar for both upgradient/cross-gradient and downgradient wells.

C. Initial Post-Injection Sampling (7 weeks)

A total of 14 groundwater samples were collected from select wells on January 5, 2017 and January 10, 2017. The wells sampled included upgradient wells MW-12A/B/C and MW-BU2A/B/C, cross-gradient well MW-BC2C, and downgradient wells MW-B1010C, MW-B1020B/C, MW-B1050A, MW-B2020B/C, and MW-B2050A. MW-B2010C was unable to be sampled due to snow cover. Analytical data is presented in Table 3. Laboratory reports are included in Appendix E of the *Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities and Post-Injection Groundwater Monitoring – Final (AECOM, March 2017)*.

D. Quarterly Sampling

1) February 2017

The first post-injection quarterly sampling event occurred on February 23, 2017 and February 24, 2017, where groundwater samples were collected from 21 monitoring wells and analyzed for nitrate, nitrite, ammonia, TKN, Total Nitrogen, chloride, sulfate, dissolved iron, dissolved manganese, boron, sodium, total alkalinity, and DOC. Field-measured parameters, such as water level, pH, temperature, DO, ORP, conductivity, and turbidity, were also measured. Additionally, water levels were collected for six monitoring wells outside of the core monitoring well network.

The four additional monitoring wells that were installed in March 2017 were sampled in late March 2017 as part of the first round of quarterly sampling. Results of the laboratory analysis are included in this technical memorandum. Laboratory reports for the quarterly sampling event are included in Appendix B.

The expected lag time from PRB injection to measurable nitrate reduction in groundwater immediately downgradient of the barrier is two to four months. During this time the EVO begins to increase DOC concentrations, stimulating biological activity, which leads to an increase in the biomass of desired nitrate reducing bacteria.

The February samples were collected approximately three months post injection. Groundwater sample locations closest to the PRB (MW-B1010C and MW-B2010C) are located approximately ten feet downgradient of the injection zone (Figure 1). The February Quarter-1 (Q-1) sample at MW-B1010C indicated an increase in DOC from less than 1 mg/L during baseline sampling (November 2016) to 14 mg/L at Q-1. The MW-B1010C nitrate concentration decreased 27 percent from 13.6 at baseline to 9.94 mg/L at Q-1. Nitrate concentration data for baseline and quarterly sampling is included in Table 3 and on the cross-sections shown in Figure 4 and Figure 5.

Monitoring well MW-B2010C laboratory results also showed an increase in DOC concentrations. DOC increased from 2.2 mg/L at baseline to 19 mg/L at Q-1. Over the same period of time, the nitrate concentration decreased 68 percent from 15.7 to 5.06 mg/L.

Significant increases in DOC were not observed at other monitoring well locations and changes in nitrate concentration also did not appear to be significant with the exception of nitrate at monitoring well B1050A, where the nitrate concentration decreased 68 percent from 37 mg/L at baseline to 11.8 mg/L at Q-1.

No significant changes for dissolved iron and manganese were noted between the baseline and Q-1 sampling. Methane was not detected in groundwater at any of the locations sampled. These results indicate no significant impacts with respect to secondary water quality. No migration of EVO material was indicated by sampling observations or test results.

8. Summary, Schedule, and Coordination

Completed PRB Demonstration Test milestones include:

- PRB groundwater monitoring network installation;
- Baseline groundwater quality data collection and analysis;
- PRB construction with injection of EVO as planned;
- Initial post-injection water quality data collection and analysis; and
- First post-injection quarterly monitoring data collection and analysis.

The recommended plan includes collecting quarterly samples for a period of three years. Periodic reporting will be conducted to share results and observations with the Town, regulatory agencies, and the public. The next quarterly monitoring event is expected to occur in June 2017. This event was rescheduled from May due to securing funding at the May Town Meeting. Additionally, there were several wet-weather events in May and it is recommended that sampling occur after several consecutive dry days to eliminate potential influences of the stormwater drains at the site. The anticipated monitoring schedule is summarized in Table 8-1 and is expected to be followed through November 2019.

Table 8-1 - Summary of Sampling Events for Groundwater Performance Evaluation

Quarterly Sampling Event
February
May
August
November

9. References

AECOM – Technical Memorandum Final for Preliminary Engineering Work Plan for Permeable Reactive Barriers. Submitted to Town of Orleans, MA. May 19, 2016.

AECOM - Technical Memorandum for Eldredge Park Permeable Reactive Barriers Demonstration Overview of Baseline Sampling, Injection Activities and Post-Injection Groundwater Monitoring – Final. March 1, 2017.

Cape Cod Commission - Cape Code Regional Wastewater Management Plan Technology Assessment – Conventional Infrastructure, March 2013.

Cape Cod Commission - Cape Cod Area Wide Water Quality Management Plan Update, June 2015.

Interstate Technology & Regulatory Council (ITRC) - Permeable Reactive Barrier: Technology Update (PRB-5), November 2011.

Terra Systems - Personal communications with Michael Lee, PhD, 2016.

10. List of Appendices

- Appendix A - Monitoring Well Coordinates
- Appendix B - Analytical Laboratory Reports

This Page Intentionally Left Blank.

Tables

This Page Intentionally Left Blank.

Table 1 Orleans Monitoring Well Construction Details

Well ID	Surface Elevation (ft)	TOC Elevation (ft)	Total Well Depth (ft bgs)	Screen Beginning Depth (ft bgs)	Screen End Depth (ft bgs)	Top Screen Elevation (ft)	Bottom Screen Elevation (ft)	Mid-Screen Elevation (ft)	Screen Length (ft)	Inst. Date	Location
MW-12A	45.6	45.57	80.0	70.0	80.0	-24.40	-34.40	-29.40	10.0	October 2016	Eldredge Park
MW-12B	45.6	45.58	65.0	55.0	65.0	-9.40	-19.40	-14.40	10.0	October 2016	Eldredge Park
MW-BU1A	43.7	43.48	80.0	70.0	80.0	-26.30	-36.30	-31.30	10.0	September 2016	Eldredge Park
MW-BU1C	44.0	43.65	50.0	40.0	50.0	4.00	-6.00	-1.00	10.0	September 2016	Eldredge Park
MW-BU2A	45.1	44.56	80.0	70.0	80.0	-24.90	-34.90	-29.90	10.0	October 2016	Eldredge Park
MW-BU2B	45.1	44.70	65.0	55.0	65.0	-9.90	-19.90	-14.90	10.0	October 2016	Eldredge Park
MW-BU2C	45.1	44.68	50.0	40.0	50.0	5.10	-4.90	0.10	10.0	October 2016	Eldredge Park
MW-BC1C	42.5	42.50	50.0	40.0	50.0	2.50	-7.50	-2.50	10.0	September 2016	Eldredge Park
MW-BC2C ¹	N/A	N/A	55.0	45.0	55.0	N/A	N/A	N/A	10.0	October 2016	Eldredge Park
MW-B1010C	44.9	44.46	55.0	45.0	55.0	-0.10	-10.10	-5.10	10.0	October 2016	Eldredge Park
MW-B1020B	44.6	44.18	65.0	55.0	65.0	-10.40	-20.40	-15.40	10.0	October 2016	Eldredge Park
MW-B1020C	44.5	44.10	50.0	40.0	50.0	4.50	-5.50	-0.50	10.0	October 2016	Eldredge Park
MW-B1050A	43.9	43.42	80.0	70.0	80.0	-26.10	-36.10	-31.10	10.0	October 2016	Eldredge Park
MW-B1050B	43.9	43.54	65.0	55.0	65.0	-11.10	-21.10	-16.10	10.0	October 2016	Eldredge Park
MW-B1050C	44.9	43.55	50.0	40.0	50.0	4.90	-5.10	-0.10	10.0	October 2016	Eldredge Park
MW-B1075B	43.5	43.29	65.0	55.0	65.0	-11.50	-21.50	-16.50	10.0	October 2016	Eldredge Park
MW-B2010C	45.0	44.70	55.0	45.0	55.0	0.00	-10.00	-5.00	10.0	October 2016	Eldredge Park
MW-B2020B	44.9	44.50	65.0	55.0	65.0	-10.10	-20.10	-15.10	10.0	October 2016	Eldredge Park
MW-B2020C	44.8	44.45	50.0	40.0	50.0	4.80	-5.20	-0.20	10.0	October 2016	Eldredge Park
MW-B2050A	44.6	44.06	80.0	70.0	80.0	-25.40	-35.40	-30.40	10.0	October 2016	Eldredge Park
MW-B2050B	44.6	44.28	65.0	55.0	65.0	-10.40	-20.40	-15.40	10.0	October 2016	Eldredge Park
MW-B2050C	44.6	44.17	50.0	40.0	50.0	4.60	-5.40	-0.40	10.0	October 2016	Eldredge Park
MW-B2075A	44.6	44.23	75.0	65.0	75.0	-20.40	-30.40	-25.40	10.0	March 2017	Eldredge Park
MW-B2100	44.6	44.23	45.0	35.0	45.0	9.60	-0.40	4.60	10.0	September 2016	Eldredge Park
MW-BC3	44.2	43.86	65.0	55.0	65.0	-10.80	-20.80	-15.80	10.0	March 2017	Eldredge Park
MW-BX1B	45.6	45.38	65.0	55.0	65.0	-9.40	-19.40	-14.40	10.0	March 2017	Eldredge Park
MW-BX1C	45.7	45.37	50.0	40.0	50.0	5.70	-4.30	0.70	10.0	March 2017	Eldredge Park

Notes:

N/A = Not Available

1. MW-BC2C has not yet been surveyed.

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MW-1	Eldredge Park	11/3/2016	41.31	30.10	11.21
MW-1	Eldredge Park	11/14/2016	41.31	30.20	11.11
MW-1	Eldredge Park	1/18/2017	41.31	30.43	10.88
MW-1	Eldredge Park	1/27/2017	41.31	30.25	11.06
MW-1	Eldredge Park	2/24/2017	41.31	29.50	11.81
MW-2	Eldredge Park	11/3/2016	44.82	33.65	11.17
MW-2	Eldredge Park	11/14/2016	44.82	33.83	10.99
MW-2	Eldredge Park	1/18/2017	44.82	34.03	10.79
MW-2	Eldredge Park	1/27/2017	44.82	33.91	10.91
MW-2	Eldredge Park	2/24/2017	44.82	33.43	11.39
MW-4	Eldredge Park	11/3/2016	46.57	35.53	11.04
MW-4	Eldredge Park	11/14/2016	46.57	35.71	10.86
MW-4	Eldredge Park	1/18/2017	46.57	35.98	10.59
MW-4	Eldredge Park	1/27/2017	46.57	35.83	10.74
MW-4	Eldredge Park	2/24/2017	46.57	35.48	11.09
MW-8	Eldredge Park	October 2016	46.16	35.30	10.86
MW-8	Eldredge Park	11/14/2016	46.16	35.22	10.94
MW-8	Eldredge Park	1/18/2017	46.16	35.62	10.54
MW-8	Eldredge Park	1/27/2017	46.16	35.50	10.66
MW-8	Eldredge Park	2/24/2017	46.16	35.12	11.04
MW-11	Eldredge Park	11/3/2016	45.14	34.20	10.94
MW-11	Eldredge Park	11/14/2016	45.14	34.20	10.94
MW-11	Eldredge Park	1/18/2017	45.14	34.42	10.72
MW-11	Eldredge Park	1/27/2017	45.14	33.31	11.83
MW-11	Eldredge Park	2/24/2017	45.14	33.87	11.27
MW-11S	Eldredge Park	11/3/2016	45.25	34.15	11.10
MW-11S	Eldredge Park	11/14/2016	45.25	34.25	11.00
MW-11S	Eldredge Park	1/18/2017	45.25	34.51	10.74
MW-11S	Eldredge Park	1/27/2017	45.25	34.36	10.89
MW-11S	Eldredge Park	2/24/2017	45.25	33.93	11.32
MW-12A	Eldredge Park	11/3/2016	45.57	34.40	11.17
MW-12A	Eldredge Park	11/14/2016	45.57	35.01	10.56
MW-12A	Eldredge Park	1/18/2017	45.57	34.71	10.86
MW-12A	Eldredge Park	1/27/2017	45.57	34.57	11.00
MW-12A	Eldredge Park	2/23/2017	45.57	34.16	11.41
MW-12B	Eldredge Park	11/3/2016	45.58	34.50	11.08
MW-12B	Eldredge Park	11/14/2016	45.58	34.90	10.68
MW-12B	Eldredge Park	1/18/2017	45.58	34.79	10.79
MW-12B	Eldredge Park	1/27/2017	45.58	34.64	10.94
MW-12B	Eldredge Park	2/23/2017	45.58	34.24	11.34
MW-12C (Existing)	Eldredge Park	11/3/2016	46.61	36.27	10.34
MW-12C (Existing)	Eldredge Park	11/14/2016	46.61	35.99	10.62
MW-12C (Existing)	Eldredge Park	1/18/2017	46.61	36.21	10.40
MW-12C (Existing)	Eldredge Park	1/27/2017	46.61	36.06	10.55
MW-12C (Existing)	Eldredge Park	2/23/2017	46.61	36.30	10.31

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MA-BU1A	Eldredge Park	11/3/2016	43.48	32.55	10.93
MA-BU1A	Eldredge Park	11/14/2016	43.48	32.44	11.04
MA-BU1A	Eldredge Park	1/18/2017	43.48	32.86	10.62
MA-BU1A	Eldredge Park	1/27/2017	43.48	32.74	10.74
MA-BU1A	Eldredge Park	2/24/2017	43.48	32.30	11.18
MW-BU1C	Eldredge Park	11/3/2016	43.65	32.50	11.15
MW-BU1C	Eldredge Park	11/14/2016	43.65	N/A	N/A
MW-BU1C	Eldredge Park	1/18/2017	43.65	32.84	10.81
MW-BU1C	Eldredge Park	1/27/2017	43.65	32.72	10.93
MW-BU1C	Eldredge Park	2/24/2017	43.65	32.25	11.40
MW-BU2A	Eldredge Park	11/3/2016	44.56	33.90	10.66
MW-BU2A	Eldredge Park	11/14/2016	44.56	34.03	10.53
MW-BU2A	Eldredge Park	1/18/2017	44.56	34.22	10.34
MW-BU2A	Eldredge Park	1/27/2017	44.56	34.05	10.51
MW-BU2A	Eldredge Park	2/23/2017	44.56	34.62	9.94
MW-BU2B	Eldredge Park	11/3/2016	44.70	33.93	10.77
MW-BU2B	Eldredge Park	11/14/2016	44.70	34.07	10.63
MW-BU2B	Eldredge Park	1/18/2017	44.70	34.31	10.39
MW-BU2B	Eldredge Park	1/27/2017	44.70	34.15	10.55
MW-BU2B	Eldredge Park	2/23/2017	44.70	33.75	10.95
MW-BU2C	Eldredge Park	11/3/2016	44.68	33.99	10.69
MW-BU2C	Eldredge Park	11/14/2016	44.68	34.08	10.60
MW-BU2C	Eldredge Park	1/18/2017	44.68	34.30	10.38
MW-BU2C	Eldredge Park	1/27/2017	44.68	34.15	10.53
MW-BU2C	Eldredge Park	2/23/2017	44.68	34.05	10.63
MW-BC1C	Eldredge Park	11/3/2016	42.50	31.36	11.14
MW-BC1C	Eldredge Park	11/14/2016	42.50	31.87	10.63
MW-BC1C	Eldredge Park	1/18/2017	42.50	31.81	10.69
MW-BC1C	Eldredge Park	1/27/2017	42.50	31.65	10.85
MW-BC1C	Eldredge Park	2/24/2017	42.50	31.14	11.36
MW-BC2C ¹	Eldredge Park	11/3/2016	N/A	32.84	N/A
MW-BC2C ¹	Eldredge Park	11/14/2016	N/A	N/A	N/A
MW-BC2C ¹	Eldredge Park	1/18/2017	N/A	33.22	N/A
MW-BC2C ¹	Eldredge Park	1/27/2017	N/A	33.08	N/A
MW-BC2C ¹	Eldredge Park	2/24/2017	N/A	32.63	N/A
MW-B1010C	Eldredge Park	11/3/2016	44.46	33.60	10.86
MW-B1010C	Eldredge Park	11/14/2016	44.46	33.98	10.48
MW-B1010C	Eldredge Park	1/18/2017	44.46	33.97	10.49
MW-B1010C	Eldredge Park	1/27/2017	44.46	33.81	10.65
MW-B1010C	Eldredge Park	2/23/2017	44.46	33.25	11.21
MW-B1020B	Eldredge Park	11/3/2016	44.18	33.42	10.76
MW-B1020B	Eldredge Park	11/14/2016	44.18	33.68	10.50
MW-B1020B	Eldredge Park	1/18/2017	44.18	33.81	10.37
MW-B1020B	Eldredge Park	1/27/2017	44.18	33.66	10.52
MW-B1020B	Eldredge Park	2/23/2017	44.18	33.18	11.00

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MW-B1020C	Eldredge Park	11/3/2016	44.10	33.16	10.94
MW-B1020C	Eldredge Park	11/14/2016	44.10	33.32	10.78
MW-B1020C	Eldredge Park	1/18/2017	44.10	33.53	10.57
MW-B1020C	Eldredge Park	1/27/2017	44.10	33.32	10.78
MW-B1020C	Eldredge Park	2/23/2017	44.10	32.80	11.30
MW-B1050A	Eldredge Park	11/3/2016	43.42	32.84	10.58
MW-B1050A	Eldredge Park	11/14/2016	43.42	32.92	10.50
MW-B1050A	Eldredge Park	1/18/2017	43.42	32.91	10.51
MW-B1050A	Eldredge Park	1/27/2017	43.42	32.88	10.54
MW-B1050A	Eldredge Park	2/23/2017	43.42	32.54	10.88
MW-B1050B	Eldredge Park	11/3/2016	43.54	32.65	10.89
MW-B1050B	Eldredge Park	11/14/2016	43.54	32.72	10.82
MW-B1050B	Eldredge Park	1/18/2017	43.54	32.98	10.56
MW-B1050B	Eldredge Park	1/27/2017	43.54	32.81	10.73
MW-B1050B	Eldredge Park	2/23/2017	43.54	32.28	11.26
MW-B1050C	Eldredge Park	11/3/2016	43.55	32.80	10.75
MW-B1050C	Eldredge Park	11/14/2016	43.55	32.80	10.75
MW-B1050C	Eldredge Park	1/18/2017	43.55	33.02	10.53
MW-B1050C	Eldredge Park	1/27/2017	43.55	32.96	10.59
MW-B1050C	Eldredge Park	2/23/2017	43.55	32.40	11.15
MW-B1075B	Eldredge Park	11/3/2016	43.29	32.55	10.74
MW-B1075B	Eldredge Park	11/14/2016	43.29	32.57	10.72
MW-B1075B	Eldredge Park	1/18/2017	43.29	32.78	10.51
MW-B1075B	Eldredge Park	1/27/2017	43.29	32.62	10.67
MW-B1075B	Eldredge Park	2/23/2017	43.29	32.10	11.19
MW-B2010C	Eldredge Park	11/3/2016	44.70	33.95	10.75
MW-B2010C	Eldredge Park	11/14/2016	44.70	34.10	10.60
MW-B2010C	Eldredge Park	1/18/2017	44.70	34.41	10.29
MW-B2010C	Eldredge Park	1/27/2017	44.70	34.21	10.49
MW-B2010C	Eldredge Park	2/24/2017	44.70	33.77	10.93
MW-B2020B	Eldredge Park	11/3/2016	44.50	33.90	10.60
MW-B2020B	Eldredge Park	11/14/2016	44.50	33.90	10.60
MW-B2020B	Eldredge Park	1/18/2017	44.50	34.15	10.35
MW-B2020B	Eldredge Park	1/27/2017	44.50	34.03	10.47
MW-B2020B	Eldredge Park	2/24/2017	44.50	33.50	11.00
MW-B2020C	Eldredge Park	11/3/2016	44.45	33.80	10.65
MW-B2020C	Eldredge Park	11/14/2016	44.45	33.98	10.47
MW-B2020C	Eldredge Park	1/18/2017	44.45	34.22	10.23
MW-B2020C	Eldredge Park	1/27/2017	44.45	34.07	10.38
MW-B2020C	Eldredge Park	2/24/2017	44.45	33.55	10.90
MW-B2050A	Eldredge Park	11/3/2016	44.06	33.41	10.65
MW-B2050A	Eldredge Park	11/14/2016	44.06	33.60	10.46
MW-B2050A	Eldredge Park	1/18/2017	44.06	33.88	10.18
MW-B2050A	Eldredge Park	1/27/2017	44.06	33.64	10.42
MW-B2050A	Eldredge Park	2/24/2017	44.06	33.04	11.02

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MW-B2050B	Eldredge Park	11/3/2016	44.28	33.60	10.68
MW-B2050B	Eldredge Park	11/14/2016	44.28	33.73	10.55
MW-B2050B	Eldredge Park	1/18/2017	44.28	34.00	10.28
MW-B2050B	Eldredge Park	1/27/2017	44.28	33.84	10.44
MW-B2050B	Eldredge Park	2/24/2017	44.28	33.32	10.96
MW-B2050C	Eldredge Park	11/3/2016	44.17	33.35	10.82
MW-B2050C	Eldredge Park	11/14/2016	44.17	33.51	10.66
MW-B2050C	Eldredge Park	1/18/2017	44.17	33.90	10.27
MW-B2050C	Eldredge Park	1/27/2017	44.17	33.87	10.30
MW-B2050C	Eldredge Park	2/24/2017	44.17	33.07	11.10
MW-B2100	Eldredge Park	11/3/2016	44.23	33.50	10.73
MW-B2100	Eldredge Park	11/14/2016	44.23	33.65	10.58
MW-B2100	Eldredge Park	1/18/2017	44.23	33.87	10.36
MW-B2100	Eldredge Park	1/27/2017	44.23	33.66	10.57
MW-B2100	Eldredge Park	2/24/2017	44.23	33.10	11.13

Notes:

N/A = Not Available

1. MW-BC2C has not yet been surveyed.

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MW-1	Eldredge Park	11/3/2016	41.31	30.10	11.21
MW-1	Eldredge Park	11/14/2016	41.31	30.20	11.11
MW-1	Eldredge Park	1/18/2017	41.31	30.43	10.88
MW-1	Eldredge Park	1/27/2017	41.31	30.25	11.06
MW-1	Eldredge Park	2/24/2017	41.31	29.50	11.81
MW-1	Eldredge Park	4/25/2017	41.31	28.17	13.14
MW-2	Eldredge Park	11/3/2016	44.82	33.65	11.17
MW-2	Eldredge Park	11/14/2016	44.82	33.83	10.99
MW-2	Eldredge Park	1/18/2017	44.82	34.03	10.79
MW-2	Eldredge Park	1/27/2017	44.82	33.91	10.91
MW-2	Eldredge Park	2/24/2017	44.82	33.43	11.39
MW-2	Eldredge Park	4/25/2017	44.82	32.68	12.14
MW-4	Eldredge Park	11/3/2016	46.57	35.53	11.04
MW-4	Eldredge Park	11/14/2016	46.57	35.71	10.86
MW-4	Eldredge Park	1/18/2017	46.57	35.98	10.59
MW-4	Eldredge Park	1/27/2017	46.57	35.83	10.74
MW-4	Eldredge Park	2/24/2017	46.57	35.48	11.09
MW-4	Eldredge Park	4/25/2017	46.57	35.63	10.94
MW-8	Eldredge Park	October 2016	46.16	35.30	10.86
MW-8	Eldredge Park	11/14/2016	46.16	35.22	10.94
MW-8	Eldredge Park	1/18/2017	46.16	35.62	10.54
MW-8	Eldredge Park	1/27/2017	46.16	35.50	10.66
MW-8	Eldredge Park	2/24/2017	46.16	35.12	11.04
MW-8	Eldredge Park	4/25/2017	46.16	24.51	21.65
MW-11	Eldredge Park	11/3/2016	45.14	34.20	10.94
MW-11	Eldredge Park	11/14/2016	45.14	34.20	10.94
MW-11	Eldredge Park	1/18/2017	45.14	34.42	10.72
MW-11	Eldredge Park	1/27/2017	45.14	33.31	11.83
MW-11	Eldredge Park	2/24/2017	45.14	33.87	11.27
MW-11	Eldredge Park	2/24/2017	45.14	32.84	12.30
MW-11S	Eldredge Park	11/3/2016	45.25	34.15	11.10
MW-11S	Eldredge Park	11/14/2016	45.25	34.25	11.00
MW-11S	Eldredge Park	1/18/2017	45.25	34.51	10.74
MW-11S	Eldredge Park	1/27/2017	45.25	34.36	10.89
MW-11S	Eldredge Park	2/24/2017	45.25	33.93	11.32
MW-11S	Eldredge Park	4/25/2017	45.25	32.92	12.33
MW-12A	Eldredge Park	11/3/2016	45.57	34.40	11.17
MW-12A	Eldredge Park	11/14/2016	45.57	35.01	10.56
MW-12A	Eldredge Park	1/18/2017	45.57	34.71	10.86
MW-12A	Eldredge Park	1/27/2017	45.57	34.57	11.00
MW-12A	Eldredge Park	2/23/2017	45.57	34.16	11.41
MW-12A	Eldredge Park	4/25/2017	45.57	33.85	11.72
MW-12B	Eldredge Park	11/3/2016	45.58	34.50	11.08
MW-12B	Eldredge Park	11/14/2016	45.58	34.90	10.68
MW-12B	Eldredge Park	1/18/2017	45.58	34.79	10.79
MW-12B	Eldredge Park	1/27/2017	45.58	34.64	10.94
MW-12B	Eldredge Park	2/23/2017	45.58	34.24	11.34
MW-12B	Eldredge Park	4/25/2017	45.58	33.70	11.88

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MW-12C (Existing)	Eldredge Park	11/3/2016	46.61	36.27	10.34
MW-12C (Existing)	Eldredge Park	11/14/2016	46.61	35.99	10.62
MW-12C (Existing)	Eldredge Park	1/18/2017	46.61	36.21	10.40
MW-12C (Existing)	Eldredge Park	1/27/2017	46.61	36.06	10.55
MW-12C (Existing)	Eldredge Park	2/23/2017	46.61	36.30	10.31
MW-12C (Existing)	Eldredge Park	4/25/2017	46.61	34.95	11.66
MA-BU1A	Eldredge Park	11/3/2016	43.48	32.55	10.93
MA-BU1A	Eldredge Park	11/14/2016	43.48	32.44	11.04
MA-BU1A	Eldredge Park	1/18/2017	43.48	32.86	10.62
MA-BU1A	Eldredge Park	1/27/2017	43.48	32.74	10.74
MA-BU1A	Eldredge Park	2/24/2017	43.48	32.30	11.18
MA-BU1A	Eldredge Park	4/25/2017	43.48	31.75	11.73
MW-BU1C	Eldredge Park	11/3/2016	43.65	32.50	11.15
MW-BU1C	Eldredge Park	11/14/2016	43.65	N/A	N/A
MW-BU1C	Eldredge Park	1/18/2017	43.65	32.84	10.81
MW-BU1C	Eldredge Park	1/27/2017	43.65	32.72	10.93
MW-BU1C	Eldredge Park	2/24/2017	43.65	32.25	11.40
MW-BU1C	Eldredge Park	4/25/2017	43.65	31.71	11.94
MW-BU2A	Eldredge Park	11/3/2016	44.56	33.90	10.66
MW-BU2A	Eldredge Park	11/14/2016	44.56	34.03	10.53
MW-BU2A	Eldredge Park	1/18/2017	44.56	34.22	10.34
MW-BU2A	Eldredge Park	1/27/2017	44.56	34.05	10.51
MW-BU2A	Eldredge Park	2/23/2017	44.56	34.62	9.94
MW-BU2A	Eldredge Park	4/25/2017	44.56	33.25	11.31
MW-BU2B	Eldredge Park	11/3/2016	44.70	33.93	10.77
MW-BU2B	Eldredge Park	11/14/2016	44.70	34.07	10.63
MW-BU2B	Eldredge Park	1/18/2017	44.70	34.31	10.39
MW-BU2B	Eldredge Park	1/27/2017	44.70	34.15	10.55
MW-BU2B	Eldredge Park	2/23/2017	44.70	33.75	10.95
MW-BU2B	Eldredge Park	4/25/2017	44.70	33.10	11.60
MW-BU2C	Eldredge Park	11/3/2016	44.68	33.99	10.69
MW-BU2C	Eldredge Park	11/14/2016	44.68	34.08	10.60
MW-BU2C	Eldredge Park	1/18/2017	44.68	34.30	10.38
MW-BU2C	Eldredge Park	1/27/2017	44.68	34.15	10.53
MW-BU2C	Eldredge Park	2/23/2017	44.68	34.05	10.63
MW-BU2C	Eldredge Park	4/25/2017	44.68	33.08	11.60
MW-BC1C	Eldredge Park	11/3/2016	42.50	31.36	11.14
MW-BC1C	Eldredge Park	11/14/2016	42.50	31.87	10.63
MW-BC1C	Eldredge Park	1/18/2017	42.50	31.81	10.69
MW-BC1C	Eldredge Park	1/27/2017	42.50	31.65	10.85
MW-BC1C	Eldredge Park	2/24/2017	42.50	31.14	11.36
MW-BC1C	Eldredge Park	4/25/2017	42.50	30.43	12.07
MW-BC2C ¹	Eldredge Park	11/3/2016	N/A	32.84	N/A
MW-BC2C ¹	Eldredge Park	11/14/2016	N/A	N/A	N/A
MW-BC2C ¹	Eldredge Park	1/18/2017	N/A	33.22	N/A
MW-BC2C ¹	Eldredge Park	1/27/2017	N/A	33.08	N/A
MW-BC2C ¹	Eldredge Park	2/24/2017	N/A	32.63	N/A
MW-BC2C ¹	Eldredge Park	4/25/2017	N/A	31.93	N/A

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MW-B1010C	Eldredge Park	11/3/2016	44.46	33.60	10.86
MW-B1010C	Eldredge Park	11/14/2016	44.46	33.98	10.48
MW-B1010C	Eldredge Park	1/18/2017	44.46	33.97	10.49
MW-B1010C	Eldredge Park	1/27/2017	44.46	33.81	10.65
MW-B1010C	Eldredge Park	2/23/2017	44.46	33.25	11.21
MW-B1010C	Eldredge Park	4/25/2017	44.46	32.53	11.93
MW-B1020B	Eldredge Park	11/3/2016	44.18	33.42	10.76
MW-B1020B	Eldredge Park	11/14/2016	44.18	33.68	10.50
MW-B1020B	Eldredge Park	1/18/2017	44.18	33.81	10.37
MW-B1020B	Eldredge Park	1/27/2017	44.18	33.66	10.52
MW-B1020B	Eldredge Park	2/23/2017	44.18	33.18	11.00
MW-B1020B	Eldredge Park	4/25/2017	44.18	32.60	11.58
MW-B1020C	Eldredge Park	11/3/2016	44.10	33.16	10.94
MW-B1020C	Eldredge Park	11/14/2016	44.10	33.32	10.78
MW-B1020C	Eldredge Park	1/18/2017	44.10	33.53	10.57
MW-B1020C	Eldredge Park	1/27/2017	44.10	33.32	10.78
MW-B1020C	Eldredge Park	2/23/2017	44.10	32.80	11.30
MW-B1020C	Eldredge Park	4/25/2017	44.10	32.10	12.00
MW-B1050A	Eldredge Park	11/3/2016	43.42	32.84	10.58
MW-B1050A	Eldredge Park	11/14/2016	43.42	32.92	10.50
MW-B1050A	Eldredge Park	1/18/2017	43.42	32.91	10.51
MW-B1050A	Eldredge Park	1/27/2017	43.42	32.88	10.54
MW-B1050A	Eldredge Park	2/23/2017	43.42	32.54	10.88
MW-B1050A	Eldredge Park	4/25/2017	43.42	31.28	12.14
MW-B1050B	Eldredge Park	11/3/2016	43.54	32.65	10.89
MW-B1050B	Eldredge Park	11/14/2016	43.54	32.72	10.82
MW-B1050B	Eldredge Park	1/18/2017	43.54	32.98	10.56
MW-B1050B	Eldredge Park	1/27/2017	43.54	32.81	10.73
MW-B1050B	Eldredge Park	2/23/2017	43.54	32.28	11.26
MW-B1050B	Eldredge Park	4/25/2017	43.54	31.45	12.09
MW-B1050C	Eldredge Park	11/3/2016	43.55	32.80	10.75
MW-B1050C	Eldredge Park	11/14/2016	43.55	32.80	10.75
MW-B1050C	Eldredge Park	1/18/2017	43.55	33.02	10.53
MW-B1050C	Eldredge Park	1/27/2017	43.55	32.96	10.59
MW-B1050C	Eldredge Park	2/23/2017	43.55	32.40	11.15
MW-B1050C	Eldredge Park	4/25/2017	43.55	31.52	12.03
MW-B1075B	Eldredge Park	11/3/2016	43.29	32.55	10.74
MW-B1075B	Eldredge Park	11/14/2016	43.29	32.57	10.72
MW-B1075B	Eldredge Park	1/18/2017	43.29	32.78	10.51
MW-B1075B	Eldredge Park	1/27/2017	43.29	32.62	10.67
MW-B1075B	Eldredge Park	2/23/2017	43.29	32.10	11.19
MW-B1075B	Eldredge Park	4/25/2017	43.29	31.22	12.07
MW-B2010C	Eldredge Park	11/3/2016	44.70	33.95	10.75
MW-B2010C	Eldredge Park	11/14/2016	44.70	34.10	10.60
MW-B2010C	Eldredge Park	1/18/2017	44.70	34.41	10.29
MW-B2010C	Eldredge Park	1/27/2017	44.70	34.21	10.49
MW-B2010C	Eldredge Park	2/24/2017	44.70	33.77	10.93
MW-B2010C	Eldredge Park	4/25/2017	44.70	33.00	11.70

Table 2 Orleans Groundwater Elevations

Well ID	Location	Date	TOC Elevation (ft)	Depth to Water (ft)	GW Elevation (ft)
MW-B2020B	Eldredge Park	11/3/2016	44.50	33.90	10.60
MW-B2020B	Eldredge Park	11/14/2016	44.50	33.90	10.60
MW-B2020B	Eldredge Park	1/18/2017	44.50	34.15	10.35
MW-B2020B	Eldredge Park	1/27/2017	44.50	34.03	10.47
MW-B2020B	Eldredge Park	2/24/2017	44.50	33.50	11.00
MW-B2020B	Eldredge Park	4/25/2017	44.50	32.88	11.62
MW-B2020C	Eldredge Park	11/3/2016	44.45	33.80	10.65
MW-B2020C	Eldredge Park	11/14/2016	44.45	33.98	10.47
MW-B2020C	Eldredge Park	1/18/2017	44.45	34.22	10.23
MW-B2020C	Eldredge Park	1/27/2017	44.45	34.07	10.38
MW-B2020C	Eldredge Park	2/24/2017	44.45	33.55	10.90
MW-B2020C	Eldredge Park	4/25/2017	44.45	32.90	11.55
MW-B2050A	Eldredge Park	11/3/2016	44.06	33.41	10.65
MW-B2050A	Eldredge Park	11/14/2016	44.06	33.60	10.46
MW-B2050A	Eldredge Park	1/18/2017	44.06	33.88	10.18
MW-B2050A	Eldredge Park	1/27/2017	44.06	33.64	10.42
MW-B2050A	Eldredge Park	2/24/2017	44.06	33.04	11.02
MW-B2050A	Eldredge Park	4/25/2017	44.06	32.68	11.38
MW-B2050B	Eldredge Park	11/3/2016	44.28	33.60	10.68
MW-B2050B	Eldredge Park	11/14/2016	44.28	33.73	10.55
MW-B2050B	Eldredge Park	1/18/2017	44.28	34.00	10.28
MW-B2050B	Eldredge Park	1/27/2017	44.28	33.84	10.44
MW-B2050B	Eldredge Park	2/24/2017	44.28	33.32	10.96
MW-B2050B	Eldredge Park	4/25/2017	44.28	32.63	11.65
MW-B2050C	Eldredge Park	11/3/2016	44.17	33.35	10.82
MW-B2050C	Eldredge Park	11/14/2016	44.17	33.51	10.66
MW-B2050C	Eldredge Park	1/18/2017	44.17	33.90	10.27
MW-B2050C	Eldredge Park	1/27/2017	44.17	33.87	10.30
MW-B2050C	Eldredge Park	2/24/2017	44.17	33.07	11.10
MW-B2050C	Eldredge Park	4/25/2017	44.17	32.31	11.86
MW-B2100	Eldredge Park	11/3/2016	44.23	33.50	10.73
MW-B2100	Eldredge Park	11/14/2016	44.23	33.65	10.58
MW-B2100	Eldredge Park	1/18/2017	44.23	33.87	10.36
MW-B2100	Eldredge Park	1/27/2017	44.23	33.66	10.57
MW-B2100	Eldredge Park	2/24/2017	44.23	33.10	11.13
MW-B2100	Eldredge Park	4/25/2017	44.23	32.38	11.85
MW-B2075A	Eldredge Park	4/25/2017	44.23	32.40	11.83
MW-BX1B	Eldredge Park	4/25/2017	45.38	33.85	11.53
MW-BX1C	Eldredge Park	4/25/2017	45.37	33.29	12.08
MW-BC3B	Eldredge Park	4/25/2017	43.86	32.45	11.41

Notes:

N/A = Not Available

1. MW-BC2C has not yet been surveyed.

Table 3 Orleans Monitoring Well Groundwater Data Summary

Sample ID	MW-4 ³	MW-8 ³	MW-12A			MW-12B		
Top of Screen Elevation (ft)	4.50	19.70	-24.4			-9.4		
Bottom of Screen Elevation (ft)	-5.50	9.70	-34.4			-19.4		
Sampling Date	10/4/2016	10/4/2016	11/03/2016 ¹	1/5/2017	2/23/2017	11/03/2016 ¹	1/5/2017	2/23/2017
Type of Sample	Sample	Sample	Sample	Sample	Q1 Sample	Sample	Sample	Q1 Sample
Field Measurements								
pH (SU)	5.52	5.23	6.94	5.46	5.53	6.90	5.43	5.40
Temperature (°C)	15.54	15.87	14.38	11.78	13.81	14.50	11.82	14.18
Dissolved Oxygen (DO, mg/L)	7.89	9.58	1.13	3.69	7.03	1.05	1.16	6.39
Redox Potential (ORP; mV)	57.90	135.00	70.90	197.60	183.10	20.30	212.80	263.10
Specific Conductivity (µS/cm) ^c	171.00	190.00	667.00	572.00	550.00	231.00	243.00	235.00
Turbidity (NTU)	-	-	17.70	5.50	5.31	8.73	1.89	0.91
Laboratory Analyses								
Nitrogen								
Nitrate as N (mg/L)	2.45	9.24	0.783	0.669	0.849	6.17	5.08	5.33
Nitrite as N (mg/L)	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Ammonia (mg/L)	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.19	<0.1
Total Kjeldahl Nitrogen (TKN) (mg/L)	0.71	1.7	-	<0.2	0.4	-	0.79	1.18
Total Nitrogen (mg/L)	3.15	10.9	1	0.669	1.25	6.44	5.87	6.52
Anions								
Chloride (mg/L)	27.2	18.3	190	230	141	34.1	24.2	41.6
Sulfate (mg/L)	12.8	10.1	10	16.1	13.4	9.8	13.6	9.7
Elements								
Dissolved Iron (mg/L)	-	-	0.7	-	<0.1	0.36	-	<0.05
Dissolved Manganese (mg/L)	-	-	0.325	-	0.033	0.228	-	0.046
Boron (mg/L)	-	-	<0.05	-	<0.05	<0.05	-	<0.05
Sodium (mg/L)	-	-	-	-	98.3	-	-	18.7
Other								
DOC (mg/L)	<0.5	<0.5	0.55	-	<0.5	1.82	-	<0.5
Methane (µg/L)	-	-	-	-	-	-	-	-
Alkalinity as CaCO ₃ (mg/L)	-	-	-	5	7	-	2	10

Notes:

NS - Not Sampled

Bold - detected above the Minimum Detection Limit

D -Duplicate

1. DO was measured in the field as DO(%) and was converted using the online tool at:

<http://www.hbuehrer.ch/Rechner/O2satur.html>

2. MW-12C references "MW-12" that was installed as part of the Nauset Regional Middle School monitoring well network.

3. Existing wells (MW-4, MW-8, MW-12C) screen elevations were determined based on field measurement of depth to bottom of well. Actual screen depths may vary if bottom was affected by silt build-up in well.

4. MW-12C (existing) was damaged during snow removal at the site. A sample was unable to be taken during the Quarter 1 Sampling Event.

Table 3 Orleans Monitoring Well Groundwater Data Summary

Sample ID	MW-12C ^{2,3}					MA-BU1A	MW-BU1C	MW-BU2A		
Top of Screen Elevation (ft)	8.60					-26.3	4	-24.9		
Bottom of Screen Elevation (ft)	-1.40					-36.3	-6	-34.9		
Sampling Date	10/4/2016	11/03/2016 ¹	11/17/2016	1/5/2017	2/23/2017	10/4/2016	10/4/2016	11/03/2016 ¹	1/5/2017	2/23/2017
Type of Sample	Sample	Sample	Sample	Sample	Q1 Sample ⁴	Sample	Sample	Sample	Sample	Q1 Sample
Field Measurements										
pH (SU)	4.98	6.45	5.23	5.09	NS	5.44	5.27	6.73	6.00	5.72
Temperature (°C)	17.50	14.08	14.42	12.60	NS	13.75	13.95	14.15	11.75	13.71
Dissolved Oxygen (DO, mg/L)	6.93	0.83	0.68	1.61	NS	7.60	8.75	1.18	1.30	6.82
Redox Potential (ORP; mV)	167.80	246.00	279.70	205.60	NS	70.90	130.90	37.50	127.00	149.50
Specific Conductivity (µS/cm) ^c	178.00	216.00	156.00	199.00	NS	1464.00	351.00	406.00	421.00	427.00
Turbidity (NTU)	-	0.60	2.58	0.84	NS	-	-	44.50	257.00	378.00
Laboratory Analyses										
Nitrogen										
Nitrate as N (mg/L)	6.74	6.51	-	6.03	NS	0.443	1.97	0.357	0.426	0.452
Nitrite as N (mg/L)	-	-	-	<0.01	NS	-	-	<0.01	<0.01	<0.01
Ammonia (mg/L)	<0.1	0.11	-	0.12	NS	0.24	<0.1	<0.1	<0.1	<0.1
Total Kjeldahl Nitrogen (TKN) (mg/L)	1.34	-	-	1.24	NS	0.38	0.4	-	<0.2	0.3
Total Nitrogen (mg/L)	8.08	6.51	-	7.27	NS	0.827	2.37	0.357	0.426	0.76
Anions										
Chloride (mg/L)	24.1	-	-	22.4	NS	458	96.1	103	118	117
Sulfate (mg/L)	8.7	9.3	-	8.6	NS	6.9	9.1	7.2	5.2	5.3
Elements										
Dissolved Iron (mg/L)	-	<0.05	-	-	NS	0.799	0.099	1.09	-	0.477
Dissolved Manganese (mg/L)	-	0.02	-	-	NS	0.185	0.047	0.18	-	0.03
Boron (mg/L)	-	<0.05	-	-	NS	<0.05	<0.05	<0.05	-	<0.05
Sodium (mg/L)	-	-	-	-	-	-	-	-	-	63
Other										
DOC (mg/L)	<0.5	0.87	0.674	-	NS	<0.5	<0.5	<0.5	-	0.53
Methane (µg/L)	-	-	-	-	NS	<2	<2	-	-	-
Alkalinity as CaCO ₃ (mg/L)	-	-	4	6	NS	-	-	-	11	10

Notes:

NS - Not Sampled

Bold - detected above the Minimum Detection Limit

D -Duplicate

1. DO was measured in the field as DO(%) and was converted using the online tool at:

<http://www.hbuehrer.ch/Rechner/O2satur.html>

2. MW-12C references "MW-12" that was installed as part of the Nauset Regional Middle School monitoring well network.

3. Existing wells (MW-4, MW-8, MW-12C) screen elevations were determined based on field measurement of depth to bottom of well. Actual screen depths may vary if bottom was affected by silt build-up in well.

4. MW-12C (existing) was damaged during snow removal at the site. A sample was unable to be taken during the Quarter 1 Sampling Event.

Table 3 Orleans Monitoring Well Groundwater Data Summary

Sample ID	MW-BU2B			MW-BU2C				MW-BC1C	MW-BC2C			
Top of Screen Elevation (ft)	-9.9			5.1				2.5	N/A			
Bottom of Screen Elevation (ft)	-19.9			-4.9				-7.5	N/A			
Sampling Date	11/03/2016 ¹	1/5/2017	2/23/2017	11/03/2016 ¹	11/17/2016	1/10/2017	2/23/2017	10/4/2016	11/04/2016	11/17/2016	1/10/2017	2/24/2017
Type of Sample	Sample	Sample	Q1 Sample	Sample	Sample	Sample	Q1 Sample	Sample	Sample	Sample	Sample	Q1 Sample
Field Measurements												
pH (SU)	7.11	5.94	5.73	7.14	5.46	5.49	5.62	5.48	7.05	5.40	5.55	5.17
Temperature (°C)	14.70	12.07	14.18	15.20	14.89	12.78	14.78	13.37	15.25	14.54	12.65	15.10
Dissolved Oxygen (DO, mg/L)	1.30	1.07	6.25	1.31	2.17	2.40	5.96	7.75	1.65	1.67	1.87	5.73
Redox Potential (ORP; mV)	20.20	136.30	177.60	203.00	51.20	194.10	227.50	70.10	74.80	100.70	169.00	259.10
Specific Conductivity (µS/cm) ^c	379.00	362.00	343.00	535.00	516.00	569.00	367.00	1029.00	368.00	340.00	363.00	332.00
Turbidity (NTU)	102.00	146.00	32.60	11.40	14.20	5.55	7.33	-	6.00	19.20	16.60	20.40
Laboratory Analyses												
Nitrogen												
Nitrate as N (mg/L)	1.06	0.826	1.01	5.39	-	7.42	1.78	0.481	4.16	-	5.91	3.32
Nitrite as N (mg/L)	<0.01	<0.01	<0.01	<0.01	-	<0.01	<0.01	-	-	-	<0.01	<0.01
Ammonia (mg/L)	<0.1	<0.1	<0.1	<0.1	-	0.1	<0.1	-	<0.1	-	<0.1	<0.1
Total Kjeldahl Nitrogen (TKN) (mg/L)	-	<0.2	0.43	-	-	<0.2	0.55	-	-	-	<0.2	0.92
Total Nitrogen (mg/L)	1.06	0.826	1.44	5.39	-	-	2.32	0.481	4.43	-	-	4.24
Anions												
Chloride (mg/L)	97.3	92.2	90.7	134	-	143	96.8	438	83.8	-	85.4	83.3
Sulfate (mg/L)	<5	<5	<5	<5	-	<5	<5	11.5	6.4	-	<5	6.3
Elements												
Dissolved Iron (mg/L)	0.667	-	0.138	0.817	-	-	<0.1	-	-	-	-	<0.1
Dissolved Manganese (mg/L)	0.088	-	<0.02	0.26	-	-	0.077	-	-	-	-	0.092
Boron (mg/L)	<0.05	-	<0.05	<0.05	-	-	<0.05	-	-	-	-	<0.05
Sodium (mg/L)	-	-	37.2	-	-	-	44.9	-	-	-	-	41.8
Other												
DOC (mg/L)	0.612	-	<0.5	0.684	0.728	<0.5	<0.5	<0.5	0.764	0.576	<0.5	1.54
Methane (µg/L)	<2	-	-	<2	-	-	-	-	-	-	-	-
Alkalinity as CaCO ₃ (mg/L)	-	18	16	-	13	11	17	-	-	8	9	9

Notes:

NS - Not Sampled

Bold - detected above the Minimum Detection Limit

D -Duplicate

1. DO was measured in the field as DO(%) and was converted using the online tool at:

<http://www.hbuehrer.ch/Rechner/O2satur.html>

2. MW-12C references "MW-12" that was installed as part of the Nauset Regional Middle School monitoring well network.

3. Existing wells (MW-4, MW-8, MW-12C) screen elevations were determined based on field measurement of depth to bottom of well. Actual screen depths may vary if bottom was affected by silt build-up in well.

4. MW-12C (existing) was damaged during snow removal at the site. A sample was unable to be taken during the Quarter 1 Sampling Event.

Table 3 Orleans Monitoring Well Groundwater Data Summary

Sample ID	MW-BC3	MW-BX1B	MW-BX1C	MW-B1010C				MW-B1020B		
Top of Screen Elevation (ft)	-10.80	-9.40	5.70	-0.1				-10.4		
Bottom of Screen Elevation (ft)	-20.80	-19.40	-4.30	-10.1				-20.4		
Sampling Date	3/27/2017	3/27/2017	3/27/2017	11/03/2016 ¹	11/17/2016	1/5/2017	2/23/2017	11/04/2016 ¹	1/5/2017	2/23/2017
Type of Sample	Sample	Sample	Sample	Sample	Sample	Sample	Q1 Sample	Sample	Sample	Q1 Sample
Field Measurements										
pH (SU)	5.38	4.67	4.44	6.90	5.18	5.61	5.32	6.78	5.20	5.01
Temperature (°C)	14.19	13.76	13.87	14.60	14.28	12.22	14.69	13.70	11.94	14.13
Dissolved Oxygen (DO, mg/L)	2.50	1.73	0.63	0.87	0.71	0.49	1.07	1.03	0.60	2.77
Redox Potential (ORP; mV)	113.80	153.70	199.90	110.70	231.60	190.80	252.20	45.00	190.70	251.30
Specific Conductivity (µS/cm) ^c	518.00	367.00	521.00	262.00	230.00	289.00	258.00	465.00	355.00	353.00
Turbidity (NTU)	5.69	29.80	0.98	16.00	5.97	10.60	5.62	67.90	321.00	11.00
Laboratory Analyses										
Nitrogen										
Nitrate as N (mg/L)	2.2	11.4	0.25	13.6	-	6.74	9.94	28.4	17.9	20.1
Nitrite as N (mg/L)	0.032	0.018	0.012	-	-	0.509	0.474	-	<0.01	<0.01
Ammonia (mg/L)	0.91	0.4	1.09	<0.1	-	<0.1	0.18	0.53	0.11	<0.1
Total Kjeldahl Nitrogen (TKN) (mg/L)	-	-	-	-	-	1.36	1.95	-	1.79	2.92
Total Nitrogen (mg/L)	2.59	12.9	1.52	13.9	-	8.61	12.4	28.5	19.6	23
Anions										
Chloride (mg/L)	143	43.1	49.6	27.5	-	24.3	25.2	49.8	33.6	34
Sulfate (mg/L)	8.3	7.6	<5	-	-	23.7	16.5	-	<5	<5
Elements										
Dissolved Iron (mg/L)	<0.1	<0.1	<0.1	-	-	-	<0.1	2.52	-	0.153
Dissolved Manganese (mg/L)	0.298	0.335	0.566	-	-	-	0.234	0.948	-	0.293
Boron (mg/L)	-	-	-	-	-	-	<0.05	<0.05	-	0.053
Sodium (mg/L)	-	-	-	-	-	-	22.8	27.5	-	24.6
Other										
DOC (mg/L)	1.86	2.97	2.7	-	0.696	-	13.9	-	-	1.11
Methane (µg/L)	-	-	-	-	-	-	-	-	-	-
Alkalinity as CaCO ₃ (mg/L)	-	-	-	-	11	31	15	-	9	6

Notes:

NS - Not Sampled

Bold - detected above the Minimum Detection Limit

D -Duplicate

1. DO was measured in the field as DO(%) and was converted using the online tool at:

<http://www.hbuehrer.ch/Rechner/O2satur.html>

2. MW-12C references "MW-12" that was installed as part of the Nauset Regional Middle School monitoring well network.

3. Existing wells (MW-4, MW-8, MW-12C) screen elevations were determined based on field measurement of depth to bottom of well. Actual screen depths may vary if bottom was affected by silt build-up in well.

4. MW-12C (existing) was damaged during snow removal at the site. A sample was unable to be taken during the Quarter 1 Sampling Event.

Table 3 Orleans Monitoring Well Groundwater Data Summary

Sample ID	MW-B1020C				MW-B1050A			MW-B1050B		MW-B1050C	
Top of Screen Elevation (ft)	4.5				-26.1			-11.1		4.9	
Bottom of Screen Elevation (ft)	-5.5				-36.1			-21.1		-5.1	
Sampling Date	11/04/2016 ¹	11/17/2016	1/5/2017	2/23/2017	11/04/2016 ¹	1/5/2017	2/23/2017	11/04/2016 ¹	2/23/2017	11/04/2016 ¹	2/23/2017
Type of Sample	Sample	Sample	Sample	Q1 Sample	Sample	Sample	Q1 Sample	Sample	Q1 Sample	Sample	Q1 Sample
Field Measurements											
pH (SU)	6.88	5.27	5.38	5.17	7.15	5.60	5.50	7.06	5.13	7.20	5.43
Temperature (°C)	14.24	14.66	12.73	15.06	13.77	11.87	14.05	14.08	14.27	14.55	14.95
Dissolved Oxygen (DO, mg/L)	1.44	0.56	0.31	2.69	1.34	0.26	4.24	1.17	2.12	1.34	1.83
Redox Potential (ORP; mV)	50.30	106.70	194.80	292.20	43.00	142.20	226.20	80.30	304.40	48.60	205.90
Specific Conductivity (µS/cm) ^c	242.00	227.00	269.00	253.00	612.00	505.00	1648.00	446.00	463.00	571.00	511.00
Turbidity (NTU)	321.00	15.60	6.31	18.00	962.00	297.00	76.60	3.97	7.20	8.21	2.27
Laboratory Analyses											
Nitrogen											
Nitrate as N (mg/L)	10.6	-	11.1	12.6	37	26.6	11.8	25.7	28.7	3.83	3.96
Nitrite as N (mg/L)	-	-	<0.01	<0.01	-	0.105	<0.01	-	<0.01	-	<0.01
Ammonia (mg/L)	<0.1	-	0.19	<0.1	1.93	1.72	0.54	0.19	<0.1	<0.1	<0.1
Total Kjeldahl Nitrogen (TKN) (mg/L)	-	-	1.99	2.25	-	3.75	1.83	-	1.85	-	1.28
Total Nitrogen (mg/L)	10.6	-	13.1	14.9	37.2	30.5	13.7	26	30.5	4.05	5.24
Anions											
Chloride (mg/L)	25.5	-	25.6	25.6	54.8	48.9	399	48.2	50.7	141	123
Sulfate (mg/L)	-	-	5.6	6.1	-	6.1	<5	-	<5	-	20.1
Elements											
Dissolved Iron (mg/L)	2.23	-	-	<0.1	4.29	-	<0.1	0.734	<0.1	0.493	<0.1
Dissolved Manganese (mg/L)	0.249	-	-	0.076	0.655	-	0.18	0.332	0.142	0.146	0.042
Boron (mg/L)	0.085	-	-	0.083	<0.05	-	<0.05	<0.05	<0.05	<0.05	<0.05
Sodium (mg/L)	13.4	-	-	18.4	33.7	-	345	26.8	16.9	81.6	94.5
Other											
DOC (mg/L)	-	0.85	-	1.02	-	-	0.808	-	0.722	-	0.592
Methane (µg/L)	-	-	-	-	-	-	-	-	-	-	-
Alkalinity as CaCO ₃ (mg/L)	-	13	11	8	-	24	11	-	7	-	17

Notes:

NS - Not Sampled

Bold - detected above the Minimum Detection Limit

D -Duplicate

1. DO was measured in the field as DO(%) and was converted using the online tool at:

<http://www.hbuehrer.ch/Rechner/O2satur.html>

2. MW-12C references "MW-12" that was installed as part of the Nauset Regional Middle School monitoring well network.

3. Existing wells (MW-4, MW-8, MW-12C) screen elevations were determined based on field measurement of depth to bottom of well. Actual screen depths may vary if bottom was affected by silt build-up in well.

4. MW-12C (existing) was damaged during snow removal at the site. A sample was unable to be taken during the Quarter 1 Sampling Event.

Table 3 Orleans Monitoring Well Groundwater Data Summary

Sample ID	MW-B1075B		MW-B2010C			MW-B2020B				MW-B2020C		
Top of Screen Elevation (ft)	-11.5		0			-10.1				4.8		
Bottom of Screen Elevation (ft)	-21.5		-10			-20.1				-5.2		
Sampling Date	11/04/2016 ¹	2/23/2017	11/03/2016 ¹	11/17/2016	2/24/2017	11/03/2016 ¹	11/17/2016	1/10/2017	2/24/2017	11/03/2016 ¹	1/10/2017	2/24/2017
Type of Sample	Sample	Q1 Sample	Sample	Sample	Q1 Sample	Sample	Sample	Sample	Q1 Sample	Sample	Sample	Q1 Sample
Field Measurements												
pH (SU)	7.19	5.59	7.04	5.32	5.70	7.00	5.22	5.05	5.10	7.00	5.12	5.09
Temperature (°C)	15.20	14.20	15.12	14.58	14.81	14.91	14.39	12.23	14.53	15.20	12.90	15.42
Dissolved Oxygen (DO, mg/L)	0.71	1.50	0.67	0.61	3.38	1.15	0.63	0.85	2.03	1.31	1.30	3.96
Redox Potential (ORP; mV)	82.20	157.90	12.40	213.80	103.30	90.80	182.60	170.50	308.10	29.80	201.50	316.20
Specific Conductivity (µS/cm) ^c	631.00	1755.00	333.00	304.00	302.00	321.00	307.00	344.00	338.00	249.00	251.00	225.00
Turbidity (NTU)	13.00	126.00	149.00	44.40	19.90	14.30	17.40	6.95	6.11	28.00	5.81	5.17
Laboratory Analyses												
Nitrogen												
Nitrate as N (mg/L)	1.93	1	15.7	-	5.06	16.9	-	25.6	14.8	8.71	12.6	6.95
Nitrite as N (mg/L)	-	0.048	-	-	0.499	0.022	-	<0.01	<0.01	0.016	<0.01	<0.01
Ammonia (mg/L)	3.73	5.26	0.14	-	<0.1	0.1	-	<0.1	<0.1	0.24	<0.1	<0.1
Total Kjeldahl Nitrogen (TKN) (mg/L)	-	7.2	-	-	14.7	-	-	<0.2	3.86	-	<0.2	2.33
Total Nitrogen (mg/L)	6.36	8.25	16.1	-	20.3	17.2	-	-	18.7	9.02	-	9.28
Anions												
Chloride (mg/L)	96.3	440	38.6	-	27.5	32.5	-	34.9	32.7	26.8	31	28.4
Sulfate (mg/L)	-	25.6	11	-	24.3	7.7	-	6	7.1	11.6	9.7	11.9
Elements												
Dissolved Iron (mg/L)	-	0.342	-	-	1.84	1.2	-	-	<0.1	1.42	-	<0.1
Dissolved Manganese (mg/L)	-	0.119	-	-	0.189	0.126	-	-	0.028	1.14	-	0.067
Boron (mg/L)	-	<0.05	-	-	<0.05	<0.05	-	-	0.054	<0.05	-	<0.05
Sodium (mg/L)	-	379	-	-	28.5	-	-	-	21.6	-	-	15.2
Other												
DOC (mg/L)	-	1.96	2.18	0.852	19.4	1.45	0.694	<0.5	1.02	1.17	<0.5	2.04
Methane (µg/L)	-	-	-	-	-	<2	-	-	-	<2	-	-
Alkalinity as CaCO ₃ (mg/L)	-	46	-	16	48	-	20	12	8	-	10	7

Notes:

NS - Not Sampled

Bold - detected above the Minimum Detection Limit

D -Duplicate

1. DO was measured in the field as DO(%) and was converted using the online tool at:

<http://www.hbuehrer.ch/Rechner/O2satur.html>

2. MW-12C references "MW-12" that was installed as part of the Nauset Regional Middle School monitoring well network.

3. Existing wells (MW-4, MW-8, MW-12C) screen elevations were determined based on field measurement of depth to bottom of well. Actual screen depths may vary if bottom was affected by silt build-up in well.

4. MW-12C (existing) was damaged during snow removal at the site. A sample was unable to be taken during the Quarter 1 Sampling Event.

Table 3 Orleans Monitoring Well Groundwater Data Summary

Sample ID	MW-B2050A			MW-B2050B		MW-B2050C		MW-B2075A	MW-B2100		
Top of Screen Elevation (ft)	-25.4			-10.4		4.6		-20.40	9.6		
Bottom of Screen Elevation (ft)	-35.4			-20.4		-5.4		-30.40	-0.4		
Sampling Date	11/03/2016 ¹	1/10/2017	2/24/2017	11/03/2016 ¹	2/24/2017	11/03/2016 ¹	2/24/2017	3/27/2017	10/4/2016	11/03/2016 ¹	2/24/2017
Type of Sample	Sample	Sample	Q1 Sample	Sample	Q1 Sample	Sample	Q1 Sample	Sample	Sample	Sample	Q1 Sample
Field Measurements											
pH (SU)	7.11	5.39	5.29	7.06	5.22	7.22	5.49	5.21	5.26	6.98	5.46
Temperature (°C)	14.44	11.96	14.06	14.95	14.64	16.72	16.56	14.42	14.42	14.95	16.84
Dissolved Oxygen (DO, mg/L)	0.60	0.09	0.83	1.29	3.75	1.09	5.76	4.08	5.90	1.50	7.37
Redox Potential (ORP; mV)	0.80	182.80	251.80	80.50	304.60	82.50	179.50	130.70	110.50	124.70	189.80
Specific Conductivity (µS/cm) ^c	540.00	520.00	550.00	512.00	645.00	658.00	932.00	744.00	272.00	297.00	346.00
Turbidity (NTU)	50.70	8.10	14.10	123.00	4.67	212.00	36.10	159.00	-	8.44	OVER
Laboratory Analyses											
Nitrogen											
Nitrate as N (mg/L)	35	39.3	27	4.75	3.64	3.01	1.68	0.348	1.29	1.29	0.959
Nitrite as N (mg/L)	-	0.025	<0.010	-	<0.010	-	<0.010	<0.01	-	-	<0.010
Ammonia (mg/L)	1.05	0.87	0.89	<0.1	<0.1	0.11	<0.1	<0.1	<0.1	<0.1	<0.1
Total Kjeldahl Nitrogen (TKN) (mg/L)	-	3.32	3.5	-	1.22	-	0.66	-	0.72	-	0.54
Total Nitrogen (mg/L)	35.3	-	30.5	5.15	4.86	3.3	2.34	0.35	2.01	1.29	1.5
Anions											
Chloride (mg/L)	49.9	64.5	63.3	123	173	-	251	246	65.4	67.8	83.2
Sulfate (mg/L)	5.6	5.6	6.2	11.5	11.5	11.9	11.1	5.7	14.1	16.2	12.1
Elements											
Dissolved Iron (mg/L)	3.2	-	<0.1	0.551	<0.1	-	0.308	0.119	0.115	-	0.147
Dissolved Manganese (mg/L)	0.407	-	0.293	0.258	0.297	-	0.254	0.529	0.126	-	0.196
Boron (mg/L)	<0.05	-	<0.05	<0.05	<0.05	-	<0.05	-	<0.05	-	<0.05
Sodium (mg/L)	-	-	40	-	81.7	-	120	-	-	-	53.7
Other											
DOC (mg/L)	1.61	-	1.08	1.15	1.08	1.13	0.87	1.08	<0.5	0.866	0.862
Methane (µg/L)	-	-	-	-	-	-	-	-	<2	-	-
Alkalinity as CaCO ₃ (mg/L)	-	17	13	-	11	-	9	-	-	-	14

Notes:

NS - Not Sampled

Bold - detected above the Minimum Detection Limit

D -Duplicate

1. DO was measured in the field as DO(%) and was converted using the online tool at:

<http://www.hbuehrer.ch/Rechner/O2satur.html>

2. MW-12C references "MW-12" that was installed as part of the Nauset Regional Middle School monitoring well network.

3. Existing wells (MW-4, MW-8, MW-12C) screen elevations were determined based on field measurement of depth to bottom of well. Actual screen depths may vary if bottom was affected by silt build-up in well.

4. MW-12C (existing) was damaged during snow removal at the site. A sample was unable to be taken during the Quarter 1 Sampling Event.

Figures

This Page Intentionally Left Blank.






FIGURE 1.
TOWN OF ORLEANS, MA
WATER QUALITY AND WASTEWATER PLANNING
PRB DEMONSTRATION LOCATION
AT SITE B - ELDREDGE PARK

Legend

Existing Monitoring Well	Catch Basin
Existing PRB Monitoring Well	Drainage Piping
PRB Demonstration	Recharge Basin
PRB Carbon Substrate Delivery Point	Building
Estimated Groundwater Flow Direction	Out Building
	Deck or Patio


Notes:


1. Monitoring well locations based on survey by Coastal Engineering, with the exception of MW-BC2C. Location shown is approximate, to be confirmed by survey.
2. PRB carbon substrate delivery points are approximate based on field measurements.
3. Cross-gradient monitoring wells are for hydraulic monitoring only.





AECOM












Appendix A
Monitoring Well Coordinates


This Page Intentionally Left Blank.

DATUM NOTE:
ELEVATIONS SHOWN HEREON ARE
BASED ON THE NORTH AMERICAN
VERTICAL DATUM OF 1988 (NAVD 1988)

- LEGEND**
- EXISTING**
- CATCH BASIN
 - DRAIN MANHOLE
 - ⊗ MONITORING WELL
 - ⊕ POST
 - UTILITY POLE



Point	Northing	Easting	Elevation (Top of Casing)	Elevation (Ground)
MW-1	2749504.904	1067739.369	41.31	40.8
MW-2	2749321.336	1068076.302	44.82	44.6
MW-4	2749226.673	1067718.987	46.57	46.1
MW-8	2749109.803	1067928.803	46.16	46.9
MW-11	2749198.207	1068026.362	45.14	45.4
MW-11S	2749191.446	1068027.320	45.25	45.4
MW-12	2749404.804	1067985.282	46.61	45.6
MW-B2100	2749485.052	1068116.909	44.23	44.6
MW-BC1	2749342.484	1068152.835	42.14	42.5
MW-BU1C	2749285.698	1068030.642	43.65	44.0
MW-BU1A	2749287.316	1068041.311	43.48	43.7
MW-BU2A	2749383.643	1068055.658	44.56	45.1
MW-BU2B	2749384.330	1068051.435	44.70	45.1
MW-BU2C	2749384.713	1068047.731	44.68	45.1
MW-12A	2749404.187	1067988.719	45.11	45.6
MW-12B	2749402.026	1067992.169	45.18	45.6
MW-B1010C	2749432.217	1068001.195	44.46	44.9
MW-B1020B	2749442.632	1068005.074	44.18	44.6
MW-B1020C	2749444.269	1068006.933	44.10	44.5
MW-B1050A	2749470.911	1068009.358	43.42	43.9
MW-B1050B	2749470.884	1068010.994	43.54	43.9
MW-B1050C	2749470.482	1068012.793	43.55	44.9
MW-B1075B	2749495.265	1068014.141	43.29	43.5
MW-B2050C	2749456.265	1068070.821	44.17	44.6
MW-B2050B	2749454.236	1068071.071	44.28	44.6
MW-B2050A	2749452.666	1068071.421	44.06	44.6
MW-2020B	2749424.608	1068064.631	44.50	44.9
MW-2020C	2749423.622	1068065.677	44.45	44.8
MW-2010C	2749414.371	1068062.963	44.70	45.0
MW-BX1B	2749463.571	1067965.607	45.38	45.6
MW-BX1C	2749459.414	1067966.459	45.37	45.7
MW-B2075A	2749488.741	1068116.882	44.23	44.6
MW-BC3B	2749439.779	1068124.999	43.86	44.2
MAG Nail in P'mnt (# 2001)	2749477.822	1068054.547		44.63
MAG Nail in P'mnt (# 2002)	2749270.648	1068090.338		44.64



<p>PROJECT: AECOM NAUSET REGIONAL MIDDLE SCHOOL - OFF ELDRIDGE PARK WAY ORLEANS, MA</p>	<p>DATE: 4/20/2017 DRAWN BY: BPM CHECKED BY:</p>
<p>SCALE: AS NOTED</p> <p>DRAWING FILE: C18470-C3D-NRMS.dwg</p> <p>DATE: REV 4/20/2017 4:26:20 PM</p> <p>CHECKED BY: BPM</p>	
<p>WELL PLAN OF LAND SHOWING MONITOR WELL LOCATIONS</p>	
<p>SKC-5</p> <p>1 OF 1 SHEETS</p> <p>PROJECT NO. C18470.00</p>	

F:\SDSKPROJ\C18470\C18470-00NRMS\C18470-C3D-NRMS.dwg Apr 20, 2017 - 6:50pm

Appendix B
Analytical Laboratory Reports

This Page Intentionally Left Blank.

CERTIFICATE OF ANALYSIS

Mark Owen
AECOM Environment - ENSR
9 Jonathon Bourne Dr.
Pocasset, MA 02559

RE: Orleans MA (60476644 T10.1B)
ESS Laboratory Work Order Number: 1702489

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this page, the entire report has been paginated. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been delivered. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

REVIEWED**By ESS Laboratory at 3:39 pm, Mar 03, 2017****Analytical Summary**

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration is frequently used instead of automated integration because it produces more accurate results.

The test results present in this report are in compliance with TNI and relative state standards, and/or client Quality Assurance Project Plans (QAPP). The laboratory has reviewed the following: Sample Preservations, Hold Times, Initial Calibrations, Continuing Calibrations, Method Blanks, Blank Spikes, Blank Spike Duplicates, Duplicates, Matrix Spikes, Matrix Spike Duplicates, Surrogates and Internal Standards. Any results which were found to be outside of the recommended ranges stated in our SOPs will be noted in the Project Narrative.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

SAMPLE RECEIPT

The following samples were received on February 24, 2017 for the analyses specified on the enclosed Chain of Custody Record.

The samples and analyses listed below were analyzed in accordance with the Guidelines Establishing Test Procedures for the Analysis of Pollutants, 40 CFR Part 136, as amended.

<u>Lab Number</u>	<u>Sample Name</u>	<u>Matrix</u>	<u>Analysis</u>
1702489-01	MW-12A	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-02	MW-12B	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-03	MW-B1010C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-04	MW-B1020B	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-05	MW-B1020C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-06	MW-B1050A	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-07	MW-B1050B	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-08	MW-B1050C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-09	MW-B1075B	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-10	MW-BU2A	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-11	MW-BU2B	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702489-12	MW-BU2C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

PROJECT NARRATIVE

No unusual observations noted.

End of Project Narrative.

DATA USABILITY LINKS

[Definitions of Quality Control Parameters](#)

[Semivolatile Organics Internal Standard Information](#)

[Semivolatile Organics Surrogate Information](#)

[Volatile Organics Internal Standard Information](#)

[Volatile Organics Surrogate Information](#)

[EPH and VPH Alkane Lists](#)



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

CURRENT SW-846 METHODOLOGY VERSIONS

Analytical Methods

- 1010A - Flashpoint
- 6010C - ICP
- 6020A - ICP MS
- 7010 - Graphite Furnace
- 7196A - Hexavalent Chromium
- 7470A - Aqueous Mercury
- 7471B - Solid Mercury
- 8011 - EDB/DBCP/TCP
- 8015C - GRO/DRO
- 8081B - Pesticides
- 8082A - PCB
- 8100M - TPH
- 8151A - Herbicides
- 8260B - VOA
- 8270D - SVOA
- 8270D SIM - SVOA Low Level
- 9014 - Cyanide
- 9038 - Sulfate
- 9040C - Aqueous pH
- 9045D - Solid pH (Corrosivity)
- 9050A - Specific Conductance
- 9056A - Anions (IC)
- 9060A - TOC
- 9095B - Paint Filter
- MADEP 04-1.1 - EPH / VPH

Prep Methods

- 3005A - Aqueous ICP Digestion
- 3020A - Aqueous Graphite Furnace / ICP MS Digestion
- 3050B - Solid ICP / Graphite Furnace / ICP MS Digestion
- 3060A - Solid Hexavalent Chromium Digestion
- 3510C - Separatory Funnel Extraction
- 3520C - Liquid / Liquid Extraction
- 3540C - Manual Soxhlet Extraction
- 3541 - Automated Soxhlet Extraction
- 3546 - Microwave Extraction
- 3580A - Waste Dilution
- 5030B - Aqueous Purge and Trap
- 5030C - Aqueous Purge and Trap
- 5035 - Solid Purge and Trap

SW846 Reactivity Methods 7.3.3.2 (Reactive Cyanide) and 7.3.4.1 (Reactive Sulfide) have been withdrawn by EPA. These methods are reported per client request and are not NELAP accredited.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-12A
Date Sampled: 02/23/17 10:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-01
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 20:19	10	10	CB72723
Manganese	0.033 (0.020)		200.7		1	KJK	02/27/17 20:19	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-12A
Date Sampled: 02/23/17 10:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-01
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 16:20	50	25	CB72719
Sodium	98.3 (2.50)		200.7		1	KJK	02/28/17 15:37	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-12A
Date Sampled: 02/23/17 10:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-01
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	7 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:35	mg/L	CB72413
Chloride	141 (30.0)		9250		10	EEM	03/01/17 15:06	mg/L	CC70124
Dissolved Organic Carbon (Average)	ND (0.500)		5310B		1	CRR	02/27/17 16:39	mg/L	[CALC]
Nitrate as N	0.849 (0.030)		353.2		1	JLK	02/24/17 16:04	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:13	mg/L	CB72432
Sulfate	13.4 (5.0)		9038		1	EEM	02/27/17 16:35	mg/L	CB72727
Total Kjeldahl Nitrogen as N	0.40 (0.20)		351.2		1	JLK	02/28/17 20:15	mg/L	CB72716
Total Nitrogen	1.25 (0.22)		4500N		1	JLK	02/28/17 20:15	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-12B
Date Sampled: 02/23/17 11:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-02
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 20:23	10	10	CB72723
Manganese	0.046 (0.020)		200.7		1	KJK	02/27/17 20:23	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-12B
Date Sampled: 02/23/17 11:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-02
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A
All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 16:24	50	25	CB72719
Sodium	18.7 (2.50)		200.7		1	KJK	02/28/17 15:41	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA
 Client Sample ID: MW-12B
 Date Sampled: 02/23/17 11:25
 Percent Solids: N/A

ESS Laboratory Work Order: 1702489
 ESS Laboratory Sample ID: 1702489-02
 Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	10 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:36	mg/L	CB72413
Chloride	41.6 (3.0)		9250		1	EEM	03/01/17 14:35	mg/L	CC70124
Dissolved Organic Carbon (Average)	ND (0.500)		5310B		1	CRR	02/27/17 16:52	mg/L	[CALC]
Nitrate as N	5.33 (0.210)		353.2		10	JLK	02/24/17 16:56	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:14	mg/L	CB72432
Sulfate	9.7 (5.0)		9038		1	EEM	02/27/17 16:35	mg/L	CB72727
Total Kjeldahl Nitrogen as N	1.18 (0.20)		351.2		1	JLK	02/28/17 20:16	mg/L	CB72716
Total Nitrogen	6.52 (0.40)		4500N		10	JLK	02/28/17 20:16	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1010C
Date Sampled: 02/23/17 12:05
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-03
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 20:28	10	10	CB72723
Manganese	0.234 (0.020)		200.7		1	KJK	02/27/17 20:28	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1010C
Date Sampled: 02/23/17 12:05
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-03
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A
All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 16:35	50	25	CB72719
Sodium	22.8 (2.50)		200.7		1	KJK	02/28/17 15:45	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1010C
Date Sampled: 02/23/17 12:05
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-03
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	15 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	0.18 (0.10)		350.1		1	JLK	02/27/17 16:37	mg/L	CB72413
Chloride	25.2 (3.0)		9250		1	EEM	03/01/17 14:36	mg/L	CC70124
Dissolved Organic Carbon (Average)	13.9 (0.500)		5310B		1	CRR	02/27/17 17:30	mg/L	[CALC]
Nitrate as N	9.94 (0.410)		353.2		20	JLK	02/24/17 16:57	mg/L	[CALC]
Nitrite as N	0.474 (0.010)		353.2		1	JLK	02/24/17 15:15	mg/L	CB72432
Sulfate	16.5 (5.0)		9038		1	EEM	02/27/17 16:35	mg/L	CB72727
Total Kjeldahl Nitrogen as N	1.95 (0.20)		351.2		1	JLK	02/28/17 20:17	mg/L	CB72716
Total Nitrogen	12.4 (0.60)		4500N		20	JLK	02/28/17 20:17	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1020B
Date Sampled: 02/23/17 13:15
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-04
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.153 (0.100)		200.7		1	KJK	02/27/17 20:32	10	10	CB72723
Manganese	0.293 (0.020)		200.7		1	KJK	02/27/17 20:32	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1020B
Date Sampled: 02/23/17 13:15
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-04
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	0.053 (0.050)		200.7		1	KJK	03/01/17 16:44	50	25	CB72719
Sodium	24.6 (2.50)		200.7		1	KJK	02/28/17 16:02	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1020B
Date Sampled: 02/23/17 13:15
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-04
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	6 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:37	mg/L	CB72413
Chloride	34.0 (3.0)		9250		1	EEM	03/01/17 14:37	mg/L	CC70124
Dissolved Organic Carbon (Average)	1.11 (0.500)		5310B		1	CRR	02/27/17 17:42	mg/L	[CALC]
Nitrate as N	20.1 (2.01)		353.2		100	JLK	02/24/17 16:58	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:18	mg/L	CB72432
Sulfate	ND (5.0)		9038		1	EEM	02/27/17 16:35	mg/L	CB72727
Total Kjeldahl Nitrogen as N	2.92 (0.20)		351.2		1	JLK	02/28/17 20:17	mg/L	CB72716
Total Nitrogen	23.0 (2.20)		4500N		100	JLK	02/28/17 20:17	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1020C
Date Sampled: 02/23/17 13:45
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-05
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 20:36	10	10	CB72723
Manganese	0.076 (0.020)		200.7		1	KJK	02/27/17 20:36	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1020C
Date Sampled: 02/23/17 13:45
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-05
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	0.083 (0.050)		200.7		1	KJK	03/01/17 16:48	50	25	CB72719
Sodium	18.4 (2.50)		200.7		1	KJK	02/28/17 16:06	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1020C
Date Sampled: 02/23/17 13:45
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-05
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	8 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:38	mg/L	CB72413
Chloride	25.6 (3.0)		9250		1	EEM	03/01/17 14:38	mg/L	CC70124
Dissolved Organic Carbon (Average)	1.02 (0.500)		5310B		1	CRR	02/27/17 17:54	mg/L	[CALC]
Nitrate as N	12.6 (0.410)		353.2		20	JLK	02/24/17 16:59	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:19	mg/L	CB72432
Sulfate	6.1 (5.0)		9038		1	EEM	02/27/17 16:35	mg/L	CB72727
Total Kjeldahl Nitrogen as N	2.25 (0.20)		351.2		1	JLK	02/28/17 20:18	mg/L	CB72716
Total Nitrogen	14.9 (0.60)		4500N		20	JLK	02/28/17 20:18	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050A
Date Sampled: 02/23/17 14:20
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-06
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 20:53	10	10	CB72723
Manganese	0.180 (0.020)		200.7		1	KJK	02/27/17 20:53	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050A
Date Sampled: 02/23/17 14:20
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-06
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 16:53	50	25	CB72719
Sodium	345 (2.50)		200.7		1	KJK	02/28/17 16:26	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050A
Date Sampled: 02/23/17 14:20
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-06
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	11 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	0.54 (0.10)		350.1		1	JLK	02/27/17 16:39	mg/L	CB72413
Chloride	399 (150)		9250		50	EEM	03/01/17 15:09	mg/L	CC70124
Dissolved Organic Carbon (Average)	0.808 (0.500)		5310B		1	CRR	02/27/17 18:06	mg/L	[CALC]
Nitrate as N	11.8 (0.410)		353.2		20	JLK	02/24/17 17:00	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:20	mg/L	CB72432
Sulfate	ND (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	1.83 (0.20)		351.2		1	JLK	02/28/17 20:19	mg/L	CB72716
Total Nitrogen	13.7 (0.60)		4500N		20	JLK	02/28/17 20:19	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050B
Date Sampled: 02/23/17 15:00
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-07
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 20:57	10	10	CB72723
Manganese	0.142 (0.020)		200.7		1	KJK	02/27/17 20:57	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050B
Date Sampled: 02/23/17 15:00
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-07
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	BJV/D	02/27/17 20:57	50	25	CB72719
Sodium	16.9 (2.50)		200.7		1	BJV/D	02/27/17 20:57	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050B
Date Sampled: 02/23/17 15:00
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-07
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	7 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:40	mg/L	CB72413
Chloride	50.7 (3.0)		9250		1	EEM	03/01/17 14:45	mg/L	CC70124
Dissolved Organic Carbon (Average)	0.722 (0.500)		5310B		1	CRR	02/27/17 18:19	mg/L	[CALC]
Nitrate as N	28.7 (1.01)		353.2		50	JLK	02/24/17 17:01	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:21	mg/L	CB72432
Sulfate	ND (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	1.85 (0.20)		351.2		1	JLK	02/28/17 20:19	mg/L	CB72716
Total Nitrogen	30.5 (1.20)		4500N		50	JLK	02/28/17 20:19	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050C
Date Sampled: 02/23/17 15:13
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-08
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 21:01	10	10	CB72723
Manganese	0.042 (0.020)		200.7		1	KJK	02/27/17 21:01	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050C
Date Sampled: 02/23/17 15:13
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-08
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 17:24	50	25	CB72719
Sodium	94.5 (2.50)		200.7		1	KJK	02/28/17 16:34	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1050C
Date Sampled: 02/23/17 15:13
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-08
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	17 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:41	mg/L	CB72413
Chloride	123 (6.0)		9250		2	EEM	03/01/17 15:14	mg/L	CC70124
Dissolved Organic Carbon (Average)	0.592 (0.500)		5310B		1	CRR	02/27/17 18:56	mg/L	[CALC]
Nitrate as N	3.96 (0.110)		353.2		5	JLK	02/24/17 17:02	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:22	mg/L	CB72432
Sulfate	20.1 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	1.28 (0.20)		351.2		1	JLK	02/28/17 20:20	mg/L	CB72716
Total Nitrogen	5.24 (0.30)		4500N		5	JLK	02/28/17 20:20	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1075B
Date Sampled: 02/23/17 16:00
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-09
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.342 (0.100)		200.7		1	KJK	02/27/17 21:05	10	10	CB72723
Manganese	0.119 (0.020)		200.7		1	KJK	02/27/17 21:05	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B1075B
Date Sampled: 02/23/17 16:00
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-09
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A
All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 17:28	50	25	CB72719
Sodium	379 (2.50)		200.7		1	KJK	02/28/17 16:38	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA
 Client Sample ID: MW-B1075B
 Date Sampled: 02/23/17 16:00
 Percent Solids: N/A

ESS Laboratory Work Order: 1702489
 ESS Laboratory Sample ID: 1702489-09
 Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	46 (10)		2320B		1	JLK	02/27/17 20:42	mg/L	CB72745
Ammonia as N	5.26 (0.20)		350.1		2	JLK	02/27/17 16:49	mg/L	CB72413
Chloride	440 (150)		9250		50	EEM	03/01/17 15:16	mg/L	CC70124
Dissolved Organic Carbon (Average)	1.96 (0.500)		5310B		1	CRR	02/27/17 19:08	mg/L	[CALC]
Nitrate as N	1.00 (0.050)		353.2		2	JLK	02/24/17 17:03	mg/L	[CALC]
Nitrite as N	0.048 (0.010)		353.2		1	JLK	02/24/17 15:23	mg/L	CB72432
Sulfate	25.6 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	7.20 (0.40)		351.2		2	JLK	02/28/17 20:33	mg/L	CB72716
Total Nitrogen	8.25 (0.44)		4500N		2	JLK	02/28/17 20:33	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2A
Date Sampled: 02/23/17 16:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-10
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.477 (0.100)		200.7		1	KJK	02/27/17 21:09	10	10	CB72723
Manganese	0.030 (0.020)		200.7		1	KJK	02/27/17 21:09	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2A
Date Sampled: 02/23/17 16:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-10
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A
All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 17:32	50	25	CB72719
Sodium	63.0 (2.50)		200.7		1	KJK	02/28/17 16:42	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2A
Date Sampled: 02/23/17 16:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-10
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	10 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:45	mg/L	CB72413
Chloride	117 (6.0)		9250		2	EEM	03/01/17 15:17	mg/L	CC70124
Dissolved Organic Carbon (Average)	0.530 (0.500)		5310B		1	CRR	02/28/17 12:53	mg/L	[CALC]
Nitrate as N	0.452 (0.030)		353.2		1	JLK	02/24/17 16:16	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:24	mg/L	CB72432
Sulfate	5.3 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	0.30 (0.20)		351.2		1	JLK	02/28/17 20:22	mg/L	CB72716
Total Nitrogen	0.76 (0.22)		4500N		1	JLK	02/28/17 20:22	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2B
Date Sampled: 02/23/17 17:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-11
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.138 (0.100)		200.7		1	KJK	02/27/17 21:14	10	10	CB72723
Manganese	ND (0.020)		200.7		1	KJK	02/27/17 21:14	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2B
Date Sampled: 02/23/17 17:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-11
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 17:36	50	25	CB72719
Sodium	37.2 (2.50)		200.7		1	KJK	02/28/17 16:47	50	25	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA
 Client Sample ID: MW-BU2B
 Date Sampled: 02/23/17 17:25
 Percent Solids: N/A

ESS Laboratory Work Order: 1702489
 ESS Laboratory Sample ID: 1702489-11
 Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	16 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:46	mg/L	CB72413
Chloride	90.7 (3.0)		9250		1	EEM	03/01/17 14:49	mg/L	CC70124
Dissolved Organic Carbon (Average)	ND (0.500)		5310B		1	CRR	02/27/17 19:32	mg/L	[CALC]
Nitrate as N	1.01 (0.050)		353.2		2	JLK	02/24/17 17:04	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:25	mg/L	CB72432
Sulfate	ND (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	0.43 (0.20)		351.2		1	JLK	02/28/17 20:24	mg/L	CB72716
Total Nitrogen	1.44 (0.24)		4500N		2	JLK	02/28/17 20:24	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2C
Date Sampled: 02/23/17 17:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-12
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 21:18	10	10	CB72723
Manganese	0.077 (0.020)		200.7		1	KJK	02/27/17 21:18	10	10	CB72723



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2C
Date Sampled: 02/23/17 17:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-12
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 17:40	100	50	CB72719
Sodium	44.9 (2.50)		200.7		1	KJK	02/28/17 16:51	100	50	CB72719



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BU2C
Date Sampled: 02/23/17 17:50
Percent Solids: N/A

ESS Laboratory Work Order: 1702489
ESS Laboratory Sample ID: 1702489-12
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	17 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	02/27/17 16:47	mg/L	CB72413
Chloride	96.8 (3.0)		9250		1	EEM	03/01/17 14:50	mg/L	CC70124
Dissolved Organic Carbon (Average)	ND (0.500)		5310B		1	CRR	02/27/17 19:45	mg/L	[CALC]
Nitrate as N	1.78 (0.050)		353.2		2	JLK	02/24/17 17:07	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 15:26	mg/L	CB72432
Sulfate	ND (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	0.55 (0.20)		351.2		1	JLK	02/28/17 20:25	mg/L	CB72716
Total Nitrogen	2.32 (0.24)		4500N		2	JLK	02/28/17 20:25	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Dissolved Metals

Batch CB72723 - 200.7/6010BNoDigest

Blank										
Iron	ND	0.100	mg/L							
Manganese	ND	0.020	mg/L							
LCS										
Iron	2.48		mg/L	2.500		99	80-120			
Manganese	0.489		mg/L	0.5000		98	80-120			

Total Metals

Batch CB72719 - 3005A

Blank										
Boron	ND	0.050	mg/L							
Sodium	ND	2.50	mg/L							
LCS										
Boron	0.252	0.050	mg/L	0.2500		101	85-115			
Sodium	13.0	2.50	mg/L	12.50		104	85-115			
LCS Dup										
Boron	0.250	0.050	mg/L	0.2500		100	85-115	0.9	20	
Sodium	12.9	2.50	mg/L	12.50		103	85-115	1	20	

Classical Chemistry

Batch CB72413 - General Preparation

Blank										
Ammonia as N	ND	0.10	mg/L							
LCS										
Ammonia as N	0.09	0.10	mg/L	0.09994		91	80-120			
LCS										
Ammonia as N	0.99	0.10	mg/L	0.9994		99	80-120			

Batch CB72432 - [CALC]

Blank										
Nitrate as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							
LCS										
Nitrate as N	ND		mg/L							
Nitrite as N	0.261		mg/L	0.2497		105	90-110			
Nitrite as N	0.261		mg/L	0.2497		105	90-110			

Batch CB72433 - [CALC]

Blank										
Nitrate as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
Classical Chemistry										
Batch CB72433 - [CALC]										
Total Nitrogen	ND	0.02	mg/L							
LCS										
Nitrate as N	0.483		mg/L							
Nitrate/Nitrite as N	0.483		mg/L	0.5000		97	90-110			
Nitrate/Nitrite as N	0.483		mg/L	0.5000		97	90-110			
Total Nitrogen	0.483		mg/L							
Batch CB72714 - General Preparation										
Blank										
Dissolved Organic Carbon (1)	ND	0.500	mg/L							
Dissolved Organic Carbon (2)	ND	0.500	mg/L							
Dissolved Organic Carbon (Average)	ND	0.500	mg/L							
LCS										
Dissolved Organic Carbon (1)	4.10	0.500	mg/L	5.000		82	80-120			
Dissolved Organic Carbon (2)	4.33	0.500	mg/L	5.000		87	80-120			
Dissolved Organic Carbon (Average)	4.22	0.500	mg/L							
LCS Dup										
Dissolved Organic Carbon (1)	4.12	0.500	mg/L	5.000		82	80-120	0.6	200	
Dissolved Organic Carbon (2)	4.32	0.500	mg/L	5.000		86	80-120	0.2	200	
Dissolved Organic Carbon (Average)	4.22	0.500	mg/L							
Batch CB72716 - TKN Prep										
Blank										
Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
Total Nitrogen	ND	0.20	mg/L							
LCS										
Total Kjeldahl Nitrogen as N	22.3	2.00	mg/L	18.80		119	80-120			
Total Kjeldahl Nitrogen as N	22.3	2.00	mg/L	18.80		119	80-120			
Total Nitrogen	22.3	2.00	mg/L							
Batch CB72727 - General Preparation										
Blank										
Sulfate	ND	5.0	mg/L							
LCS										
Sulfate	9.5		mg/L	9.988		95	85-115			
Batch CB72728 - General Preparation										
Blank										
Sulfate	ND	5.0	mg/L							
LCS										
Sulfate	9.6		mg/L	9.988		96	85-115			
Batch CB72744 - General Preparation										
Blank										
Alkalinity as CaCO3	ND	10	mg/L							



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
Classical Chemistry										
Batch CB72744 - General Preparation										
LCS										
Alkalinity as CaCO3	99		mg/L	99.20		100	85-115			
Batch CB72745 - General Preparation										
Blank										
Alkalinity as CaCO3	ND	10	mg/L							
LCS										
Alkalinity as CaCO3	98		mg/L	99.20		99	85-115			
Batch CC70124 - General Preparation										
Blank										
Chloride	ND	3.0	mg/L							
LCS										
Chloride	29.9		mg/L	30.00		100	90-110			



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR

Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

Notes and Definitions

- U Analyte included in the analysis, but not detected
- D Diluted.
- ND Analyte NOT DETECTED at or above the MRL (LOQ), LOD for DoD Reports, MDL for J-Flagged Analytes
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- LOD Limit of Detection
- LOQ Limit of Quantitation
- DL Detection Limit
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- [CALC] Calculated Analyte
- SUB Subcontracted analysis; see attached report



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702489

ESS LABORATORY CERTIFICATIONS AND ACCREDITATIONS

ENVIRONMENTAL

Rhode Island Potable and Non Potable Water: LAI00179

<http://www.health.ri.gov/find/labs/analytical/ESS.pdf>

Connecticut Potable and Non Potable Water, Solid and Hazardous Waste: PH-0750

http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/OutofStateCommercialLaboratories.pdf

Maine Potable and Non Potable Water, and Solid and Hazardous Waste: RI00002

<http://www.maine.gov/dhhs/mecdc/environmental-health/dwp/partners/labCert.shtml>

Massachusetts Potable and Non Potable Water: M-RI002

<http://public.dep.state.ma.us/Labcert/Labcert.aspx>

New Hampshire (NELAP accredited) Potable and Non Potable Water, Solid and Hazardous Waste: 2424

<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/index.htm>

New York (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: 11313

<http://www.wadsworth.org/labcert/elap/comm.html>

New Jersey (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: RI006

http://datamine2.state.nj.us/DEP_OPRA/OpraMain/pi_main?mode=pi_by_site&sort_order=PI_NAMEA&Select+a+Site:=58715

United States Department of Agriculture Soil Permit: P330-12-00139

Pennsylvania: 68-01752

<http://www.dep.pa.gov/Business/OtherPrograms/Labs/Pages/Laboratory-Accreditation-Program.aspx>

ESS Laboratory Sample and Cooler Receipt Checklist

Client: AECOM Environment - ENSR - KPB/MM

ESS Project ID: 1702489

Shipped/Delivered Via: ESS Courier

Date Received: 2/24/2017

Project Due Date: 3/3/2017

Days for Project: 5 Day

1. Air bill manifest present? No
Air No.: NA

6. Does COC match bottles? Yes

2. Were custody seals present? No

7. Is COC complete and correct? Yes

3. Is radiation count <100 CPM? Yes

8. Were samples received intact? Yes

4. Is a Cooler Present? Yes
Temp: 5.5 Iced with: Ice

9. Were labs informed about short holds & rushes? Yes / No / NA

5. Was COC signed and dated by client? Yes

10. Were any analyses received outside of hold time? Yes / No

11. Any Subcontracting needed? Yes / No
ESS Sample IDs: _____
Analysis: _____
TAT: _____

12. Were VOAs received? Yes / No
a. Air bubbles in aqueous VOAs? Yes / No
b. Does methanol cover soil completely? Yes / No / NA

13. Are the samples properly preserved? Yes / No
a. If metals preserved upon receipt: Date: _____ Time: _____ By: _____
b. Low Level VOA vials frozen: Date: _____ Time: _____ By: _____

Sample Receiving Notes:

14. Was there a need to contact Project Manager? Yes / No
a. Was there a need to contact the client? Yes / No
Who was contacted? _____ Date: _____ Time: _____ By: _____

Sample Number	Container ID	Proper Container	Air Bubbles Present	Sufficient Volume	Container Type	Preservative	Record pH (Cyanide and 608 Pesticides)
01	106449	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
01	106461	Yes	NA	Yes	1L Poly - Unpres	NP	
01	106473	Yes	NA	Yes	250 mL Poly - Unpres	NP	
01	106485	Yes	NA	Yes	250 mL Poly - HNO3	HNO3	
01	106497	Yes	NA	Yes	250 mL Amber - Unpres	NP	
01	106520	Yes	NA	Yes	VOA Vial - HCl	HCl	
01	106521	Yes	NA	Yes	VOA Vial - HCl	HCl	
02	106448	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
02	106460	Yes	NA	Yes	1L Poly - Unpres	NP	
02	106472	Yes	NA	Yes	250 mL Poly - Unpres	NP	
02	106484	Yes	NA	Yes	250 mL Poly - HNO3	HNO3	
02	106496	Yes	NA	Yes	250 mL Amber - Unpres	NP	
02	106518	Yes	NA	Yes	VOA Vial - HCl	HCl	
02	106519	Yes	NA	Yes	VOA Vial - HCl	HCl	
03	106447	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
03	106459	Yes	NA	Yes	1L Poly - Unpres	NP	
03	106471	Yes	NA	Yes	250 mL Poly - Unpres	NP	
03	106483	Yes	NA	Yes	250 mL Poly - HNO3	HNO3	
03	106495	Yes	NA	Yes	250 mL Amber - Unpres	NP	
03	106516	Yes	NA	Yes	VOA Vial - HCl	HCl	
03	106517	Yes	NA	Yes	VOA Vial - HCl	HCl	
04	106446	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
04	106458	Yes	NA	Yes	1L Poly - Unpres	NP	
04	106470	Yes	NA	Yes	250 mL Poly - Unpres	NP	

ESS Laboratory Sample and Cooler Receipt Checklist

Client: AECOM Environment - ENSR - KPB/MM

ESS Project ID: 1702489

Date Received: 2/24/2017

04	106482	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
04	106494	Yes	NA	Yes	250 mL Amber - Unpres	NP
04	106514	Yes	NA	Yes	VOA Vial - HCl	HCl
04	106515	Yes	NA	Yes	VOA Vial - HCl	HCl
05	106445	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
05	106457	Yes	NA	Yes	1L Poly - Unpres	NP
05	106469	Yes	NA	Yes	250 mL Poly - Unpres	NP
05	106481	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
05	106493	Yes	NA	Yes	250 mL Amber - Unpres	NP
05	106512	Yes	NA	Yes	VOA Vial - HCl	HCl
05	106513	Yes	NA	Yes	VOA Vial - HCl	HCl
06	106444	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
06	106456	Yes	NA	Yes	1L Poly - Unpres	NP
06	106468	Yes	NA	Yes	250 mL Poly - Unpres	NP
06	106480	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
06	106492	Yes	NA	Yes	250 mL Amber - Unpres	NP
06	106510	Yes	NA	Yes	VOA Vial - HCl	HCl
06	106511	Yes	NA	Yes	VOA Vial - HCl	HCl
07	106443	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
07	106455	Yes	NA	Yes	1L Poly - Unpres	NP
07	106467	Yes	NA	Yes	250 mL Poly - Unpres	NP
07	106479	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
07	106491	Yes	NA	Yes	250 mL Amber - Unpres	NP
07	106508	Yes	NA	Yes	VOA Vial - HCl	HCl
07	106509	Yes	NA	Yes	VOA Vial - HCl	HCl
08	106442	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
08	106454	Yes	NA	Yes	1L Poly - Unpres	NP
08	106466	Yes	NA	Yes	250 mL Poly - Unpres	NP
08	106478	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
08	106490	Yes	NA	Yes	250 mL Amber - Unpres	NP
08	106506	Yes	NA	Yes	VOA Vial - HCl	HCl
08	106507	Yes	NA	Yes	VOA Vial - HCl	HCl
09	106441	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
09	106453	Yes	NA	Yes	1L Poly - Unpres	NP
09	106465	Yes	NA	Yes	250 mL Poly - Unpres	NP
09	106477	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
09	106489	Yes	NA	Yes	250 mL Amber - Unpres	NP
09	106504	Yes	NA	Yes	VOA Vial - HCl	HCl
09	106505	Yes	NA	Yes	VOA Vial - HCl	HCl
10	106440	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
10	106452	Yes	NA	Yes	1L Poly - Unpres	NP
10	106464	Yes	NA	Yes	250 mL Poly - Unpres	NP
10	106476	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
10	106488	Yes	NA	Yes	250 mL Amber - Unpres	NP
10	106502	Yes	NA	Yes	VOA Vial - HCl	HCl
10	106503	Yes	NA	Yes	VOA Vial - HCl	HCl
11	106439	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
11	106451	Yes	NA	Yes	1L Poly - Unpres	NP
11	106463	Yes	NA	Yes	250 mL Poly - Unpres	NP
11	106475	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
11	106487	Yes	NA	Yes	250 mL Amber - Unpres	NP
11	106500	Yes	NA	Yes	VOA Vial - HCl	HCl
11	106501	Yes	NA	Yes	VOA Vial - HCl	HCl
12	106438	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
12	106450	Yes	NA	Yes	1L Poly - Unpres	NP
12	106462	Yes	NA	Yes	250 mL Poly - Unpres	NP
12	106474	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
12	106486	Yes	NA	Yes	250 mL Amber - Unpres	NP
12	106498	Yes	NA	Yes	VOA Vial - HCl	HCl
12	106499	Yes	NA	Yes	VOA Vial - HCl	HCl

2nd Review

Are barcode labels on correct containers?

Yes / No

Completed

By: [Signature]

Date & Time: 2/24/17 0912


Reviewed

By: [Signature]

Date & Time: 2/24/17 0937

Delivered

ESS Laboratory Sample and Cooler Receipt Checklist

Client: AECOM Environment - ENSR - KPB/MM ESS Project ID: 1702489
By:  2/24/17 0940 Date Received: 2/24/2017




CERTIFICATE OF ANALYSIS

Mark Owen
AECOM Environment - ENSR
9 Jonathon Bourne Dr.
Pocasset, MA 02559

RE: Orleans MA (60476644 T10.1B)
ESS Laboratory Work Order Number: 1702516

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this page, the entire report has been paginated. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been delivered. If you have any questions or concerns, please feel free to call our Customer Service Department.

Laurel Stoddard
Laboratory Director



Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration is frequently used instead of automated integration because it produces more accurate results.

The test results present in this report are in compliance with TNI and relative state standards, and/or client Quality Assurance Project Plans (QAPP). The laboratory has reviewed the following: Sample Preservations, Hold Times, Initial Calibrations, Continuing Calibrations, Method Blanks, Blank Spikes, Blank Spike Duplicates, Duplicates, Matrix Spikes, Matrix Spike Duplicates, Surrogates and Internal Standards. Any results which were found to be outside of the recommended ranges stated in our SOPs will be noted in the Project Narrative.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

SAMPLE RECEIPT

The following samples were received on February 24, 2017 for the analyses specified on the enclosed Chain of Custody Record.

The samples and analyses listed below were analyzed in accordance with the Guidelines Establishing Test Procedures for the Analysis of Pollutants, 40 CFR Part 136, as amended.

<u>Lab Number</u>	<u>Sample Name</u>	<u>Matrix</u>	<u>Analysis</u>
1702516-01	MW-B2050A	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702516-02	MW-B2050B	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702516-03	MW-B2050C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702516-04	MW-B2020B	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702516-05	MW-B2020C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702516-06	MW-B2010C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702516-07	MW-BC2C	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250
1702516-08	MW-B2100	Ground Water	200.7, 2320B, 350.1, 351.2, 353.2, 4500N, 5310B, 9038, 9250



ESS Laboratory
Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

PROJECT NARRATIVE

No unusual observations noted.

End of Project Narrative.

DATA USABILITY LINKS

[Definitions of Quality Control Parameters](#)

[Semivolatile Organics Internal Standard Information](#)

[Semivolatile Organics Surrogate Information](#)

[Volatile Organics Internal Standard Information](#)

[Volatile Organics Surrogate Information](#)

[EPH and VPH Alkane Lists](#)



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

CURRENT SW-846 METHODOLOGY VERSIONS

Analytical Methods

- 1010A - Flashpoint
- 6010C - ICP
- 6020A - ICP MS
- 7010 - Graphite Furnace
- 7196A - Hexavalent Chromium
- 7470A - Aqueous Mercury
- 7471B - Solid Mercury
- 8011 - EDB/DBCP/TCP
- 8015C - GRO/DRO
- 8081B - Pesticides
- 8082A - PCB
- 8100M - TPH
- 8151A - Herbicides
- 8260B - VOA
- 8270D - SVOA
- 8270D SIM - SVOA Low Level
- 9014 - Cyanide
- 9038 - Sulfate
- 9040C - Aqueous pH
- 9045D - Solid pH (Corrosivity)
- 9050A - Specific Conductance
- 9056A - Anions (IC)
- 9060A - TOC
- 9095B - Paint Filter
- MADEP 04-1.1 - EPH / VPH

Prep Methods

- 3005A - Aqueous ICP Digestion
- 3020A - Aqueous Graphite Furnace / ICP MS Digestion
- 3050B - Solid ICP / Graphite Furnace / ICP MS Digestion
- 3060A - Solid Hexavalent Chromium Digestion
- 3510C - Separatory Funnel Extraction
- 3520C - Liquid / Liquid Extraction
- 3540C - Manual Soxhlet Extraction
- 3541 - Automated Soxhlet Extraction
- 3546 - Microwave Extraction
- 3580A - Waste Dilution
- 5030B - Aqueous Purge and Trap
- 5030C - Aqueous Purge and Trap
- 5035 - Solid Purge and Trap

SW846 Reactivity Methods 7.3.3.2 (Reactive Cyanide) and 7.3.4.1 (Reactive Sulfide) have been withdrawn by EPA. These methods are reported per client request and are not NELAP accredited.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050A
Date Sampled: 02/24/17 08:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-01
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 22:45	50	50	CB72724
Manganese	0.293 (0.020)		200.7		1	KJK	02/27/17 22:45	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050A
Date Sampled: 02/24/17 08:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-01
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 19:34	50	25	CB72805
Sodium	40.0 (2.50)		200.7		1	KJK	03/01/17 0:15	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA
 Client Sample ID: MW-B2050A
 Date Sampled: 02/24/17 08:55
 Percent Solids: N/A

ESS Laboratory Work Order: 1702516
 ESS Laboratory Sample ID: 1702516-01
 Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	13 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	0.89 (0.10)		350.1		1	JLK	03/01/17 16:05	mg/L	CB72821
Chloride	63.3 (3.0)		9250		1	EEM	03/01/17 14:51	mg/L	CC70124
Dissolved Organic Carbon (Average)	1.08 (0.500)		5310B		1	CRR	02/28/17 15:09	mg/L	[CALC]
Nitrate as N	27.0 (1.01)		353.2		50	JLK	02/24/17 19:30	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 18:43	mg/L	CB72435
Sulfate	6.2 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	3.50 (0.20)		351.2		1	JLK	02/28/17 20:27	mg/L	CB72716
Total Nitrogen	30.5 (1.20)		4500N		50	JLK	02/28/17 20:27	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050B
Date Sampled: 02/24/17 09:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-02
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 22:49	50	50	CB72724
Manganese	0.297 (0.020)		200.7		1	KJK	02/27/17 22:49	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050B
Date Sampled: 02/24/17 09:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-02
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 19:38	50	25	CB72805
Sodium	81.7 (2.50)		200.7		1	KJK	03/01/17 0:32	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050B
Date Sampled: 02/24/17 09:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-02
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	11 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	03/01/17 16:06	mg/L	CB72821
Chloride	173 (15.0)		9250		5	EEM	03/01/17 15:18	mg/L	CC70124
Dissolved Organic Carbon (Average)	1.08 (0.500)		5310B		1	CRR	02/28/17 16:10	mg/L	[CALC]
Nitrate as N	3.64 (0.110)		353.2		5	JLK	02/24/17 19:31	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 18:44	mg/L	CB72435
Sulfate	11.5 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	1.22 (0.20)		351.2		1	EEM	03/02/17 14:51	mg/L	CC70133
Total Nitrogen	4.86 (0.30)		4500N		5	EEM	03/02/17 14:51	mg/L	[CALC]



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

The Microbiology Division
of Thielsch Engineering, Inc.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050C
Date Sampled: 02/24/17 09:45
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-03
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.308 (0.100)		200.7		1	KJK	02/27/17 22:54	50	50	CB72724
Manganese	0.254 (0.020)		200.7		1	KJK	02/27/17 22:54	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050C
Date Sampled: 02/24/17 09:45
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-03
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 19:42	50	25	CB72805
Sodium	120 (2.50)		200.7		1	KJK	03/01/17 0:36	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2050C
Date Sampled: 02/24/17 09:45
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-03
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	9 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	03/01/17 16:06	mg/L	CB72821
Chloride	251 (30.0)		9250		10	EEM	03/01/17 15:19	mg/L	CC70124
Dissolved Organic Carbon (Average)	0.870 (0.500)		5310B		1	CRR	02/28/17 16:22	mg/L	[CALC]
Nitrate as N	1.68 (0.110)		353.2		5	JLK	02/24/17 19:32	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 18:45	mg/L	CB72435
Sulfate	11.1 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	0.66 (0.20)		351.2		1	EEM	03/02/17 14:52	mg/L	CC70133
Total Nitrogen	2.34 (0.30)		4500N		5	EEM	03/02/17 14:52	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2020B
Date Sampled: 02/24/17 10:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-04
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 22:58	50	50	CB72724
Manganese	0.028 (0.020)		200.7		1	KJK	02/27/17 22:58	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2020B
Date Sampled: 02/24/17 10:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-04
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	0.054 (0.050)		200.7		1	KJK	03/01/17 19:46	50	25	CB72805
Sodium	21.6 (2.50)		200.7		1	KJK	03/01/17 0:40	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2020B
Date Sampled: 02/24/17 10:25
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-04
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	8 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	03/01/17 16:07	mg/L	CB72821
Chloride	32.7 (3.0)		9250		1	EEM	03/01/17 15:01	mg/L	CC70124
Dissolved Organic Carbon (Average)	1.02 (0.500)		5310B		1	CRR	02/28/17 16:35	mg/L	[CALC]
Nitrate as N	14.8 (0.410)		353.2		20	JLK	02/24/17 19:33	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 18:46	mg/L	CB72435
Sulfate	7.1 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	3.86 (0.20)		351.2		1	EEM	03/02/17 14:53	mg/L	CC70133
Total Nitrogen	18.7 (0.60)		4500N		20	EEM	03/02/17 14:53	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2020C
Date Sampled: 02/24/17 10:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-05
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 23:02	50	50	CB72724
Manganese	0.067 (0.020)		200.7		1	KJK	02/27/17 23:02	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2020C
Date Sampled: 02/24/17 10:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-05
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 19:50	50	25	CB72805
Sodium	15.2 (2.50)		200.7		1	KJK	03/01/17 0:45	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2020C
Date Sampled: 02/24/17 10:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-05
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO ₃	7 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	03/01/17 16:08	mg/L	CB72821
Chloride	28.4 (3.0)		9250		1	EEM	03/01/17 15:02	mg/L	CC70124
Dissolved Organic Carbon (Average)	2.04 (0.500)		5310B		1	CRR	02/28/17 17:12	mg/L	[CALC]
Nitrate as N	6.95 (0.210)		353.2		10	JLK	02/24/17 19:34	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 18:47	mg/L	CB72435
Sulfate	11.9 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	2.33 (0.20)		351.2		1	EEM	03/02/17 14:54	mg/L	CC70133
Total Nitrogen	9.28 (0.40)		4500N		10	EEM	03/02/17 14:54	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2010C
Date Sampled: 02/24/17 11:20
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-06
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	1.84 (0.100)		200.7		1	KJK	02/27/17 23:06	50	50	CB72724
Manganese	0.189 (0.020)		200.7		1	KJK	02/27/17 23:06	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2010C
Date Sampled: 02/24/17 11:20
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-06
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A

All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 20:07	50	25	CB72805
Sodium	28.5 (2.50)		200.7		1	KJK	03/01/17 0:49	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2010C
Date Sampled: 02/24/17 11:20
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-06
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	48 (10)		2320B		1	JLK	02/27/17 20:42	mg/L	CB72745
Ammonia as N	ND (0.10)		350.1		1	JLK	03/01/17 16:12	mg/L	CB72821
Chloride	27.5 (3.0)		9250		1	EEM	03/01/17 15:03	mg/L	CC70124
Dissolved Organic Carbon (Average)	19.4 (0.500)		5310B		1	CRR	02/28/17 17:24	mg/L	[CALC]
Nitrate as N	5.06 (0.220)		353.2		10	JLK	02/24/17 19:35	mg/L	[CALC]
Nitrite as N	0.499 (0.020)		353.2		2	JLK	02/24/17 18:55	mg/L	CB72435
Sulfate	24.3 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	14.7 (2.00)		351.2		10	EEM	03/02/17 15:08	mg/L	CC70133
Total Nitrogen	20.3 (2.20)		4500N		10	EEM	03/02/17 15:08	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BC2C
Date Sampled: 02/24/17 11:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-07
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	02/27/17 23:10	50	50	CB72724
Manganese	0.092 (0.020)		200.7		1	KJK	02/27/17 23:10	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BC2C
Date Sampled: 02/24/17 11:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-07
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A
All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 20:11	50	25	CB72805
Sodium	41.8 (2.50)		200.7		1	KJK	03/01/17 0:53	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BC2C
Date Sampled: 02/24/17 11:55
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-07
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	9 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	03/01/17 16:13	mg/L	CB72821
Chloride	83.3 (3.0)		9250		1	EEM	03/01/17 15:04	mg/L	CC70124
Dissolved Organic Carbon (Average)	1.54 (0.500)		5310B		1	CRR	02/28/17 17:36	mg/L	[CALC]
Nitrate as N	3.32 (0.110)		353.2		5	JLK	02/24/17 19:36	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 18:51	mg/L	CB72435
Sulfate	6.3 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	0.92 (0.20)		351.2		1	EEM	03/02/17 15:01	mg/L	CC70133
Total Nitrogen	4.24 (0.30)		4500N		5	EEM	03/02/17 15:01	mg/L	[CALC]



ESS Laboratory

Division of Thielsch Engineering, Inc.

BAL Laboratory

The Microbiology Division
of Thielsch Engineering, Inc.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2100
Date Sampled: 02/24/17 12:30
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-08
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.147 (0.100)		200.7		1	KJK	02/27/17 23:14	50	50	CB72724
Manganese	0.196 (0.020)		200.7		1	KJK	02/27/17 23:14	50	50	CB72724



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2100
Date Sampled: 02/24/17 12:30
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-08
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 3005A
All methods used are in accordance with 40 CFR 136.

Total Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Boron	ND (0.050)		200.7		1	KJK	03/01/17 20:16	50	25	CB72805
Sodium	53.7 (2.50)		200.7		1	KJK	03/01/17 0:57	50	25	CB72805



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2100
Date Sampled: 02/24/17 12:30
Percent Solids: N/A

ESS Laboratory Work Order: 1702516
ESS Laboratory Sample ID: 1702516-08
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Alkalinity as CaCO3	14 (2)		2320B		1	JLK	02/27/17 19:35	mg/L	CB72744
Ammonia as N	ND (0.10)		350.1		1	JLK	03/01/17 16:13	mg/L	CB72821
Chloride	83.2 (3.0)		9250		1	EEM	03/01/17 15:05	mg/L	CC70124
Dissolved Organic Carbon (Average)	0.862 (0.500)		5310B		1	CRR	02/28/17 17:48	mg/L	[CALC]
Nitrate as N	0.959 (0.030)		353.2		1	JLK	02/24/17 19:17	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	02/24/17 18:52	mg/L	CB72435
Sulfate	12.1 (5.0)		9038		1	EEM	02/27/17 17:05	mg/L	CB72728
Total Kjeldahl Nitrogen as N	0.54 (0.20)		351.2		1	EEM	03/02/17 15:04	mg/L	CC70133
Total Nitrogen	1.50 (0.22)		4500N		1	EEM	03/02/17 15:04	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Dissolved Metals

Batch CB72724 - 200.7/6010BNoDigest

Blank

Iron	ND	0.100	mg/L							
Manganese	ND	0.020	mg/L							

LCS

Iron	2.48		mg/L	2.500		99	80-120			
Manganese	0.489		mg/L	0.5000		98	80-120			

Total Metals

Batch CB72805 - 3005A

Blank

Boron	ND	0.050	mg/L							
Sodium	ND	2.50	mg/L							

LCS

Boron	0.237	0.050	mg/L	0.2500		95	85-115			
Sodium	11.6	2.50	mg/L	12.50		93	85-115			

LCS Dup

Boron	0.242	0.050	mg/L	0.2500		97	85-115	2	20	
-------	-------	-------	------	--------	--	----	--------	---	----	--

Classical Chemistry

Batch CB72435 - [CALC]

Blank

Nitrate as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							

LCS

Nitrate as N	ND		mg/L							
Nitrite as N	0.267		mg/L	0.2497		107	90-110			
Nitrite as N	0.267		mg/L	0.2497		107	90-110			

Batch CB72436 - [CALC]

Blank

Nitrate as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Total Nitrogen	ND	0.02	mg/L							

LCS

Nitrate as N	0.491		mg/L							
Nitrate/Nitrite as N	0.491		mg/L	0.5000		98	90-110			
Nitrate/Nitrite as N	0.491		mg/L	0.5000		98	90-110			
Total Nitrogen	0.491		mg/L							

Batch CB72716 - TKN Prep

Blank

Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
------------------------------	----	------	------	--	--	--	--	--	--	--



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
Classical Chemistry										
Batch CB72716 - TKN Prep										
Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
Total Nitrogen	ND	0.20	mg/L							
LCS										
Total Kjeldahl Nitrogen as N	22.3	2.00	mg/L	18.80		119	80-120			
Total Kjeldahl Nitrogen as N	22.3	2.00	mg/L	18.80		119	80-120			
Total Nitrogen	22.3	2.00	mg/L							
Batch CB72728 - General Preparation										
Blank										
Sulfate	ND	5.0	mg/L							
LCS										
Sulfate	9.6		mg/L	9.988		96	85-115			
Batch CB72744 - General Preparation										
Blank										
Alkalinity as CaCO3	ND	10	mg/L							
LCS										
Alkalinity as CaCO3	99		mg/L	99.20		100	85-115			
Batch CB72745 - General Preparation										
Blank										
Alkalinity as CaCO3	ND	10	mg/L							
LCS										
Alkalinity as CaCO3	98		mg/L	99.20		99	85-115			
Batch CB72818 - General Preparation										
Blank										
Dissolved Organic Carbon (1)	ND	0.500	mg/L							
Dissolved Organic Carbon (2)	ND	0.500	mg/L							
Dissolved Organic Carbon (Average)	ND	0.500	mg/L							
LCS										
Dissolved Organic Carbon (1)	4.09	0.500	mg/L	5.000		82	80-120			
Dissolved Organic Carbon (2)	4.25	0.500	mg/L	5.000		85	80-120			
Dissolved Organic Carbon (Average)	4.17	0.500	mg/L							
LCS Dup										
Dissolved Organic Carbon (1)	4.22	0.500	mg/L	5.000		84	80-120	3	200	
Dissolved Organic Carbon (2)	4.42	0.500	mg/L	5.000		88	80-120	4	200	
Dissolved Organic Carbon (Average)	4.32	0.500	mg/L							
Batch CB72821 - NH4 Prep										
Blank										
Ammonia as N	ND	0.10	mg/L							
LCS										
Ammonia as N	0.11	0.10	mg/L	0.09994		106	80-120			
LCS										
Ammonia as N	1.02	0.10	mg/L	0.9994		102	80-120			



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Classical Chemistry

Batch CC70124 - General Preparation

Blank										
Chloride	ND	3.0	mg/L							
LCS										
Chloride	29.9		mg/L	30.00		100	90-110			

Batch CC70133 - General Preparation

Blank										
Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
Total Nitrogen	ND	0.20	mg/L							
LCS										
Total Kjeldahl Nitrogen as N	20.1	2.00	mg/L	18.80		107	80-120			
Total Kjeldahl Nitrogen as N	20.1	2.00	mg/L	18.80		107	80-120			
Total Nitrogen	20.1	2.00	mg/L							



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

Notes and Definitions

- U Analyte included in the analysis, but not detected
- D Diluted.
- ND Analyte NOT DETECTED at or above the MRL (LOQ), LOD for DoD Reports, MDL for J-Flagged Analytes
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- LOD Limit of Detection
- LOQ Limit of Quantitation
- DL Detection Limit
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- [CALC] Calculated Analyte
- SUB Subcontracted analysis; see attached report



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

ESS LABORATORY CERTIFICATIONS AND ACCREDITATIONS

ENVIRONMENTAL

Rhode Island Potable and Non Potable Water: LAI00179

<http://www.health.ri.gov/find/labs/analytical/ESS.pdf>

Connecticut Potable and Non Potable Water, Solid and Hazardous Waste: PH-0750

http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/OutofStateCommercialLaboratories.pdf

Maine Potable and Non Potable Water, and Solid and Hazardous Waste: RI00002

<http://www.maine.gov/dhhs/meecd/environmental-health/dwp/partners/labCert.shtml>

Massachusetts Potable and Non Potable Water: M-RI002

<http://public.dep.state.ma.us/Labcert/Labcert.aspx>

New Hampshire (NELAP accredited) Potable and Non Potable Water, Solid and Hazardous Waste: 2424

<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/index.htm>

New York (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: 11313

<http://www.wadsworth.org/labcert/elap/comm.html>

New Jersey (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: RI006

http://datamine2.state.nj.us/DEP_OPRA/OpraMain/pi_main?mode=pi_by_site&sort_order=PI_NAMEA&Select+a+Site:=58715

United States Department of Agriculture Soil Permit: P330-12-00139

Pennsylvania: 68-01752

<http://www.dep.pa.gov/Business/OtherPrograms/Labs/Pages/Laboratory-Accreditation-Program.aspx>

ESS Laboratory Sample and Cooler Receipt Checklist

Client: AECOM Environment - ENSR - KP/BB

ESS Project ID: 1702516

Shipped/Delivered Via: ESS Courier

Date Received: 2/24/2017

Project Due Date: 3/3/2017

Days for Project: 5 Day

1. Air bill manifest present? No
Air No.: NA

6. Does COC match bottles? Yes

2. Were custody seals present? No

7. Is COC complete and correct? Yes

3. Is radiation count <100 CPM? Yes

8. Were samples received intact? Yes

4. Is a Cooler Present? Yes
Temp: 2.0 Iced with: Ice

9. Were labs informed about short holds & rushes? Yes / No / NA

5. Was COC signed and dated by client? Yes

10. Were any analyses received outside of hold time? Yes No

11. Any Subcontracting needed? Yes No
ESS Sample IDs: _____
Analysis: _____
TAT: _____

12. Were VOAs received? Yes / No
a. Air bubbles in aqueous VOAs? Yes No
b. Does methanol cover soil completely? Yes / No / NA

13. Are the samples properly preserved? Yes / No
a. If metals preserved upon receipt: Date: _____ Time: _____ By: _____
b. Low Level VOA vials frozen: Date: _____ Time: _____ By: _____

Sample Receiving Notes:

14. Was there a need to contact Project Manager? Yes No
a. Was there a need to contact the client? Yes / No
Who was contacted? _____ Date: _____ Time: _____ By: _____

Sample Number	Container ID	Proper Container	Air Bubbles Present	Sufficient Volume	Container Type	Preservative	Record pH (Cyanide and 608 Pesticides)
01	106784	Yes	No	Yes	VOA Vial - HCl	HCl	
01	106785	Yes	No	Yes	VOA Vial - HCl	HCl	
01	106793	Yes	NA	Yes	250 mL Amber - Unpres	NP	
01	106801	Yes	NA	Yes	1L Poly - Unpres	NP	
01	106809	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
01	106817	Yes	NA	Yes	250 mL Poly - Unpres	NP	
01	106825	Yes	NA	Yes	250 mL Poly - HNO3	HNO3	
02	106782	Yes	No	Yes	VOA Vial - HCl	HCl	
02	106783	Yes	No	Yes	VOA Vial - HCl	HCl	
02	106792	Yes	NA	Yes	250 mL Amber - Unpres	NP	
02	106800	Yes	NA	Yes	1L Poly - Unpres	NP	
02	106808	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
02	106816	Yes	NA	Yes	250 mL Poly - Unpres	NP	
02	106824	Yes	NA	Yes	250 mL Poly - HNO3	HNO3	
03	106780	Yes	No	Yes	VOA Vial - HCl	HCl	
03	106781	Yes	No	Yes	VOA Vial - HCl	HCl	
03	106791	Yes	NA	Yes	250 mL Amber - Unpres	NP	
03	106799	Yes	NA	Yes	1L Poly - Unpres	NP	
03	106807	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
03	106815	Yes	NA	Yes	250 mL Poly - Unpres	NP	
03	106823	Yes	NA	Yes	250 mL Poly - HNO3	HNO3	
04	106778	Yes	No	Yes	VOA Vial - HCl	HCl	
04	106779	Yes	No	Yes	VOA Vial - HCl	HCl	
04	106790	Yes	NA	Yes	250 mL Amber - Unpres	NP	

ESS Laboratory Sample and Cooler Receipt Checklist

Client: AECOM Environment - ENSR - KPB/MM

ESS Project ID: 1702516

Date Received: 2/24/2017

04	106798	Yes	NA	Yes	1L Poly - Unpres	NP
04	106806	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
04	106814	Yes	NA	Yes	250 mL Poly - Unpres	NP
04	106822	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
05	106776	Yes	No	Yes	VOA Vial - HCl	HCl
05	106777	Yes	No	Yes	VOA Vial - HCl	HCl
05	106789	Yes	NA	Yes	250 mL Amber - Unpres	NP
05	106797	Yes	NA	Yes	1L Poly - Unpres	NP
05	106805	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
05	106813	Yes	NA	Yes	250 mL Poly - Unpres	NP
05	106821	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
06	106774	Yes	No	Yes	VOA Vial - HCl	HCl
06	106775	Yes	No	Yes	VOA Vial - HCl	HCl
06	106788	Yes	NA	Yes	250 mL Amber - Unpres	NP
06	106796	Yes	NA	Yes	1L Poly - Unpres	NP
06	106804	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
06	106812	Yes	NA	Yes	250 mL Poly - Unpres	NP
06	106820	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
07	106772	Yes	No	Yes	VOA Vial - HCl	HCl
07	106773	Yes	No	Yes	VOA Vial - HCl	HCl
07	106787	Yes	NA	Yes	250 mL Amber - Unpres	NP
07	106795	Yes	NA	Yes	1L Poly - Unpres	NP
07	106803	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
07	106811	Yes	NA	Yes	250 mL Poly - Unpres	NP
07	106819	Yes	NA	Yes	250 mL Poly - HNO3	HNO3
08	106770	Yes	No	Yes	VOA Vial - HCl	HCl
08	106771	Yes	No	Yes	VOA Vial - HCl	HCl
08	106786	Yes	NA	Yes	250 mL Amber - Unpres	NP
08	106794	Yes	NA	Yes	1L Poly - Unpres	NP
08	106802	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
08	106810	Yes	NA	Yes	250 mL Poly - Unpres	NP
08	106818	Yes	NA	Yes	250 mL Poly - HNO3	HNO3

2nd Review

Are barcode labels on correct containers?

Yes / No

Completed

By: [Signature]

Date & Time: 2/24/17 1807

Reviewed

By: [Signature]

Date & Time: 2/24/17 1815

Delivered

By: [Signature]

Date & Time: 2/24/17 1815



ESS Laboratory
Division of Thielsch Engineering, Inc.

BAL Laboratory

*The Microbiology Division
of Thielsch Engineering, Inc.*



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR

Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

Items for Project Management Review

**Classical Chemistry
Dissolved Metals**

Total Metals



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1702516

PROJECT COMPLETION CHECKLIST

All Reports:

- | | | | |
|--|-----|----|-----|
| 1. Has Report been Paginated? | Yes | No | |
| 2. Has Report been Digitally Signed? | Yes | No | |
| 3. Has MCP/PC Sheet been filled out? | Yes | No | N/A |
| 4. Have PRM and Fax Sheet been removed from the Project? | Yes | No | |
| 5. Is the correct Chain of Custody attached to the Report? | Yes | No | |
| 6. Is the correct Cooler Receipt attached to the Report? | Yes | No | N/A |

Contact Person: _____

EDD: _____

E-Mail: _____

- | | | | |
|--|-----|----|-----|
| 1. Does e-mail address in Element match the COC/CSR? | Yes | No | |
| 1a. If No, did you contact Customer Service? | Yes | No | N/A |
| 2. Are there any CCs for the report? | Yes | No | |
| 3a. If Yes, did you include them? | Yes | No | N/A |
| 4. Did you save a copy of the e-mail in the Work Order Folder? | Yes | No | |

Client Connect: _____

- | | | | |
|---|-----|----|-----|
| 1. Did you save Report in CORRECT ClientConnect Folder? | Yes | No | N/A |
| 2. Did you save EDD in CORRECT ClientConnect Folder? | Yes | No | N/A |

Fax: _____

- | | | | |
|--|-----|----|-----|
| 1. Does fax number in Element match the COC? | Yes | No | |
| 1a. Did you contact Customer Service? | Yes | No | N/A |
| 2. Was the fax "rejected" for any reason? | Yes | No | |
| 2a. Was the project re-faxed? | Yes | No | N/A |
| 2b. Was Customer Service notified? | Yes | No | N/A |

Updated to Faxed: Yes No N/A Initials: _____ Date: _____

ESS Laboratory

Division of Thielsch Engineering, Inc.



FAX

Date: _____

To: Mark Owen _____

Company: AECOM Environment - ENSR _____

Project Name: Orleans MA _____

ESS Work Order: 1702516 _____

Fax: (978) 589-3100 _____

Comments:

Our certified laboratory provides a full range of services, including the following:

- Soil Characterization
- Petroleum Fingerprinting
- Priority Pollutant Analysis
- Groundwater, Wastewater and Drinking Water Analyses
- PCBs and Pesticides Analysis
- Trace Metals (ICAP/Furnace) Analysis
- Inorganic Analysis by Classic Methods, Flow Analyzer, and Ion Chromatography
- Organics by GC/Mass Spectroscopy
- Microbiology Analysis
- Massachusetts EPH/VPH Analysis
- Siloxanes
- Field Screening and Sample Technician Services

This message is meant for the use of the individual or entity to which it is addressed. This fax may contain privileged or confidential information that is intended for the recipient only. Any copying or unauthorized distribution of the enclosed information is prohibited. If you have received this communication incorrectly, please notify us immediately. Thank you for your cooperation

Number of pages (including this cover): _____

Date: _____ Faxed: _____ Initials: _____ Time: _____

CERTIFICATE OF ANALYSIS

Mark Owen
AECOM Environment - ENSR
9 Jonathon Bourne Dr.
Pocasset, MA 02559

RE: Orleans MA (60476644)
ESS Laboratory Work Order Number: 1703626

This signed Certificate of Analysis is our approved release of your analytical results. These results are only representative of sample aliquots received at the laboratory. ESS Laboratory expects its clients to follow all regulatory sampling guidelines. Beginning with this page, the entire report has been paginated. This report should not be copied except in full without the approval of the laboratory. Samples will be disposed of thirty days after the final report has been delivered. If you have any questions or concerns, please feel free to call our Customer Service Department.



Laurel Stoddard
Laboratory Director

REVIEWED

By ESS Laboratory at 12:35 pm, Apr 04, 2017

Analytical Summary

The project as described above has been analyzed in accordance with the ESS Quality Assurance Plan. This plan utilizes the following methodologies: US EPA SW-846, US EPA Methods for Chemical Analysis of Water and Wastes per 40 CFR Part 136, APHA Standard Methods for the Examination of Water and Wastewater, American Society for Testing and Materials (ASTM), and other recognized methodologies. The analyses with these noted observations are in conformance to the Quality Assurance Plan. In chromatographic analysis, manual integration is frequently used instead of automated integration because it produces more accurate results.

The test results present in this report are in compliance with TNI and relative state standards, and/or client Quality Assurance Project Plans (QAPP). The laboratory has reviewed the following: Sample Preservations, Hold Times, Initial Calibrations, Continuing Calibrations, Method Blanks, Blank Spikes, Blank Spike Duplicates, Duplicates, Matrix Spikes, Matrix Spike Duplicates, Surrogates and Internal Standards. Any results which were found to be outside of the recommended ranges stated in our SOPs will be noted in the Project Narrative.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

SAMPLE RECEIPT

The following samples were received on March 28, 2017 for the analyses specified on the enclosed Chain of Custody Record.

The samples and analyses listed below were analyzed in accordance with the Guidelines Establishing Test Procedures for the Analysis of Pollutants, 40 CFR Part 136, as amended.

<u>Lab Number</u>	<u>Sample Name</u>	<u>Matrix</u>	<u>Analysis</u>
1703626-01	MW-BC3B	Ground Water	200.7, 350.1, 353.2, 4500N, 5310B, 9038, 9250
1703626-02	MW-B2075A	Ground Water	200.7, 350.1, 353.2, 4500N, 5310B, 9038, 9250
1703626-03	MW-BX1C	Ground Water	200.7, 350.1, 353.2, 4500N, 5310B, 9038, 9250
1703626-04	MW-BX1B	Ground Water	200.7, 350.1, 353.2, 4500N, 5310B, 9038, 9250
1703626-05	MW-5 (140-150)	Ground Water	200.7, 350.1, 353.2, 4500N, 8270D SIM, 9038, 9250
1703626-06	MW-8 (36-46)	Ground Water	200.7, 350.1, 353.2, 4500N, 9038, 9250
1703626-07	MW-8 (84-94)	Ground Water	200.7, 350.1, 353.2, 4500N, 8270D SIM, 9038, 9250



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

PROJECT NARRATIVE

No unusual observations noted.

End of Project Narrative.

DATA USABILITY LINKS

To ensure you are viewing the most current version of the documents below, please clear your internet cookies for www.ESSLaboratory.com. Consult your IT Support personnel for information on how to clear your internet cookies.

[Definitions of Quality Control Parameters](#)

[Semivolatile Organics Internal Standard Information](#)

[Semivolatile Organics Surrogate Information](#)

[Volatile Organics Internal Standard Information](#)

[Volatile Organics Surrogate Information](#)

[EPH and VPH Alkane Lists](#)



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

CURRENT SW-846 METHODOLOGY VERSIONS

Analytical Methods

- 1010A - Flashpoint
- 6010C - ICP
- 6020A - ICP MS
- 7010 - Graphite Furnace
- 7196A - Hexavalent Chromium
- 7470A - Aqueous Mercury
- 7471B - Solid Mercury
- 8011 - EDB/DBCP/TCP
- 8015C - GRO/DRO
- 8081B - Pesticides
- 8082A - PCB
- 8100M - TPH
- 8151A - Herbicides
- 8260B - VOA
- 8270D - SVOA
- 8270D SIM - SVOA Low Level
- 9014 - Cyanide
- 9038 - Sulfate
- 9040C - Aqueous pH
- 9045D - Solid pH (Corrosivity)
- 9050A - Specific Conductance
- 9056A - Anions (IC)
- 9060A - TOC
- 9095B - Paint Filter
- MADEP 04-1.1 - EPH / VPH

Prep Methods

- 3005A - Aqueous ICP Digestion
- 3020A - Aqueous Graphite Furnace / ICP MS Digestion
- 3050B - Solid ICP / Graphite Furnace / ICP MS Digestion
- 3060A - Solid Hexavalent Chromium Digestion
- 3510C - Separatory Funnel Extraction
- 3520C - Liquid / Liquid Extraction
- 3540C - Manual Soxhlet Extraction
- 3541 - Automated Soxhlet Extraction
- 3546 - Microwave Extraction
- 3580A - Waste Dilution
- 5030B - Aqueous Purge and Trap
- 5030C - Aqueous Purge and Trap
- 5035 - Solid Purge and Trap

SW846 Reactivity Methods 7.3.3.2 (Reactive Cyanide) and 7.3.4.1 (Reactive Sulfide) have been withdrawn by EPA. These methods are reported per client request and are not NELAP accredited.



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BC3B
Date Sampled: 03/27/17 13:55
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-01
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	03/28/17 16:37	10	10	CC72806
Manganese	0.298 (0.020)		200.7		1	KJK	03/28/17 16:37	10	10	CC72806



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BC3B
Date Sampled: 03/27/17 13:55
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-01
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Ammonia as N	0.91 (0.10)		350.1		1	EEM	03/31/17 14:33	mg/L	CC73019
Chloride	143 (30.0)		9250		10	EEM	03/30/17 15:43	mg/L	CC73028
Dissolved Organic Carbon (Average)	1.86 (0.500)		5310B		1	CRR	03/28/17 15:04	mg/L	[CALC]
Nitrate as N	2.20 (0.110)		353.2		5	JLK	03/28/17 21:18	mg/L	[CALC]
Nitrite as N	0.032 (0.010)		353.2		1	JLK	03/28/17 19:23	mg/L	CC72840
Sulfate	8.3 (5.0)		9038		1	EEM	03/30/17 17:30	mg/L	CC73032
Total Nitrogen	2.59 (0.30)		4500N		5	JLK	03/30/17 17:31	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2075A
Date Sampled: 03/27/17 14:00
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-02
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.119 (0.100)		200.7		1	KJK	03/28/17 16:41	10	10	CC72806
Manganese	0.529 (0.020)		200.7		1	KJK	03/28/17 16:41	10	10	CC72806



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-B2075A
Date Sampled: 03/27/17 14:00
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-02
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Ammonia as N	ND (0.10)		350.1		1	EEM	03/31/17 14:34	mg/L	CC73019
Chloride	246 (30.0)		9250		10	EEM	03/30/17 15:47	mg/L	CC73028
Dissolved Organic Carbon (Average)	1.08 (0.500)		5310B		1	CRR	03/28/17 15:41	mg/L	[CALC]
Nitrate as N	0.348 (0.030)		353.2		1	JLK	03/28/17 21:12	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	03/28/17 19:24	mg/L	CC72840
Sulfate	5.7 (5.0)		9038		1	EEM	03/30/17 17:30	mg/L	CC73032
Total Nitrogen	0.35 (0.22)		4500N		1	JLK	03/30/17 17:02	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BX1C
Date Sampled: 03/27/17 15:00
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-03
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	03/28/17 16:45	10	10	CC72806
Manganese	0.566 (0.020)		200.7		1	KJK	03/28/17 16:45	10	10	CC72806



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BX1C
Date Sampled: 03/27/17 15:00
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-03
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Ammonia as N	1.09 (0.10)		350.1		1	EEM	03/31/17 14:35	mg/L	CC73019
Chloride	49.6 (3.0)		9250		1	EEM	03/30/17 15:16	mg/L	CC73028
Dissolved Organic Carbon (Average)	2.70 (0.500)		5310B		1	CRR	03/28/17 16:19	mg/L	[CALC]
Nitrate as N	0.250 (0.030)		353.2		1	JLK	03/30/17 19:21	mg/L	[CALC]
Nitrite as N	0.012 (0.010)		353.2		1	JLK	03/28/17 19:25	mg/L	CC72840
Sulfate	ND (5.0)		9038		1	EEM	03/30/17 17:30	mg/L	CC73032
Total Nitrogen	1.52 (0.22)		4500N		1	JLK	04/03/17 21:19	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BX1B
Date Sampled: 03/27/17 15:20
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-04
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	03/28/17 16:50	10	10	CC72806
Manganese	0.335 (0.020)		200.7		1	KJK	03/28/17 16:50	10	10	CC72806



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-BX1B
Date Sampled: 03/27/17 15:20
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-04
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Ammonia as N	0.40 (0.10)		350.1		1	EEM	03/31/17 14:36	mg/L	CC73019
Chloride	43.1 (3.0)		9250		1	EEM	03/30/17 15:17	mg/L	CC73028
Dissolved Organic Carbon (Average)	2.97 (0.500)		5310B		1	CRR	03/28/17 16:31	mg/L	[CALC]
Nitrate as N	11.4 (0.410)		353.2		20	JLK	03/28/17 21:20	mg/L	[CALC]
Nitrite as N	0.018 (0.010)		353.2		1	JLK	03/28/17 19:26	mg/L	CC72840
Sulfate	7.6 (5.0)		9038		1	EEM	03/30/17 17:30	mg/L	CC73032
Total Nitrogen	12.9 (0.60)		4500N		20	JLK	04/03/17 21:20	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-5 (140-150)
Date Sampled: 03/27/17 17:05
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-05
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	0.113 (0.100)		200.7		1	KJK	03/28/17 16:54	10	10	CC72806
Manganese	1.37 (0.020)		200.7		1	KJK	03/28/17 16:54	10	10	CC72806



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA
 Client Sample ID: MW-5 (140-150)
 Date Sampled: 03/27/17 17:05
 Percent Solids: N/A
 Initial Volume: 500
 Final Volume: 0.5
 Extraction Method: 3535A

ESS Laboratory Work Order: 1703626
 ESS Laboratory Sample ID: 1703626-05
 Sample Matrix: Ground Water
 Units: ug/L
 Analyst: VSC
 Prepared: 3/28/17 16:30

All methods used are in accordance with 40 CFR 136.

8270D(SIM) Semi-Volatile Organic Compounds w/ Isotope Dilution

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
1,4-Dioxane	ND (0.250)		8270D SIM		1	03/29/17 12:16	C7C0449	CC72749
		<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				
<i>Surrogate: 1,4-Dioxane-d8</i>		62 %		15-115				



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-5 (140-150)
Date Sampled: 03/27/17 17:05
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-05
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Ammonia as N	9.34 (1.00)		350.1		10	EEM	03/31/17 15:04	mg/L	CC73019
Chloride	39.6 (3.0)		9250		1	EEM	03/30/17 15:18	mg/L	CC73028
Nitrate as N	ND (0.030)		353.2		1	JLK	03/28/17 22:15	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	03/28/17 21:46	mg/L	CC72848
Sulfate	39.5 (25.0)		9038		5	EEM	03/30/17 17:30	mg/L	CC73032
Total Nitrogen	10.6 (1.02)		4500N		5	JLK	04/03/17 21:20	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-8 (36-46)
Date Sampled: 03/27/17 18:05
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-06
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	03/28/17 16:58	10	10	CC72806
Manganese	0.301 (0.020)		200.7		1	KJK	03/28/17 16:58	10	10	CC72806



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-8 (36-46)
Date Sampled: 03/27/17 18:05
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-06
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Ammonia as N	0.18 (0.10)		350.1		1	EEM	03/31/17 14:45	mg/L	CC73019
Chloride	66.4 (3.0)		9250		1	EEM	03/30/17 15:19	mg/L	CC73028
Nitrate as N	3.83 (0.210)		353.2		10	JLK	03/28/17 22:31	mg/L	[CALC]
Nitrite as N	ND (0.010)		353.2		1	JLK	03/28/17 21:49	mg/L	CC72848
Sulfate	24.3 (5.0)		9038		1	EEM	03/30/17 17:30	mg/L	CC73032
Total Nitrogen	4.84 (0.40)		4500N		10	JLK	04/03/17 21:21	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-8 (84-94)
Date Sampled: 03/27/17 18:31
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-07
Sample Matrix: Ground Water
Units: mg/L

Extraction Method: 200.7/6010BNoDigest
All methods used are in accordance with 40 CFR 136.

Dissolved Metals

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>I/V</u>	<u>F/V</u>	<u>Batch</u>
Iron	ND (0.100)		200.7		1	KJK	03/28/17 17:02	10	10	CC72806
Manganese	0.406 (0.020)		200.7		1	KJK	03/28/17 17:02	10	10	CC72806



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
 Client Project ID: Orleans MA
 Client Sample ID: MW-8 (84-94)
 Date Sampled: 03/27/17 18:31
 Percent Solids: N/A
 Initial Volume: 500
 Final Volume: 0.5
 Extraction Method: 3535A

ESS Laboratory Work Order: 1703626
 ESS Laboratory Sample ID: 1703626-07
 Sample Matrix: Ground Water
 Units: ug/L
 Analyst: VSC
 Prepared: 3/28/17 16:30

All methods used are in accordance with 40 CFR 136.

8270D(SIM) Semi-Volatile Organic Compounds w/ Isotope Dilution

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyzed</u>	<u>Sequence</u>	<u>Batch</u>
1,4-Dioxane	0.649 (0.250)		8270D SIM		1	03/29/17 12:52	C7C0449	CC72749
		<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				
<i>Surrogate: 1,4-Dioxane-d8</i>		52 %		15-115				



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA
Client Sample ID: MW-8 (84-94)
Date Sampled: 03/27/17 18:31
Percent Solids: N/A

ESS Laboratory Work Order: 1703626
ESS Laboratory Sample ID: 1703626-07
Sample Matrix: Ground Water

All methods used are in accordance with 40 CFR 136.

Classical Chemistry

<u>Analyte</u>	<u>Results (MRL)</u>	<u>MDL</u>	<u>Method</u>	<u>Limit</u>	<u>DF</u>	<u>Analyst</u>	<u>Analyzed</u>	<u>Units</u>	<u>Batch</u>
Ammonia as N	0.13 (0.10)		350.1		1	EEM	03/31/17 14:46	mg/L	CC73019
Chloride	37.8 (3.0)		9250		1	EEM	03/30/17 15:24	mg/L	CC73028
Nitrate as N	5.14 (0.210)		353.2		10	JLK	03/28/17 22:32	mg/L	[CALC]
Nitrite as N	0.159 (0.010)		353.2		1	JLK	03/28/17 21:50	mg/L	CC72848
Sulfate	16.9 (5.0)		9038		1	EEM	03/30/17 17:30	mg/L	CC73032
Total Nitrogen	881 (40.2)		4500N		200	JLK	04/03/17 22:04	mg/L	[CALC]



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
---------	--------	-----	-------	-------------	---------------	------	-------------	-----	-----------	-----------

Dissolved Metals

Batch CC72806 - 200.7/60108NoDigest

Blank

Iron	ND	0.100	mg/L							
Manganese	ND	0.020	mg/L							

LCS

Iron	2.47		mg/L	2.500		99	80-120			
Manganese	0.488		mg/L	0.5000		98	80-120			

8270D(SIM) Semi-Volatile Organic Compounds w/ Isotope Dilution

Batch CC72749 - 3535A

Blank

1,4-Dioxane	ND	0.250	ug/L							
Surrogate: 1,4-Dioxane-d8	3.26		ug/L	5.000		65	15-115			

LCS

1,4-Dioxane	10.5	0.250	ug/L	10.00		105	40-140			
Surrogate: 1,4-Dioxane-d8	3.19		ug/L	5.000		64	15-115			

LCS Dup

1,4-Dioxane	10.8	0.250	ug/L	10.00		108	40-140	3	20	
Surrogate: 1,4-Dioxane-d8	2.97		ug/L	5.000		59	15-115			

Classical Chemistry

Batch CC72836 - General Preparation

Blank

Dissolved Organic Carbon (1)	ND	0.500	mg/L							
Dissolved Organic Carbon (2)	ND	0.500	mg/L							
Dissolved Organic Carbon (Average)	ND	0.500	mg/L							

LCS

Dissolved Organic Carbon (1)	4.93	0.500	mg/L	5.000		99	80-120			
Dissolved Organic Carbon (2)	5.30	0.500	mg/L	5.000		106	80-120			
Dissolved Organic Carbon (Average)	5.12	0.500	mg/L							

LCS Dup

Dissolved Organic Carbon (1)	4.93	0.500	mg/L	5.000		99	80-120	0.04	200	
Dissolved Organic Carbon (2)	5.33	0.500	mg/L	5.000		107	80-120	0.6	200	
Dissolved Organic Carbon (Average)	5.13	0.500	mg/L							

Batch CC72840 - [CALC]

Blank

Nitrate as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							

LCS

Nitrate as N	ND		mg/L							
Nitrite as N	0.254		mg/L	0.2497		102	90-110			
Nitrite as N	0.254		mg/L	0.2497		102	90-110			



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
Classical Chemistry										
Batch CC72841 - [CALC]										
Blank										
Nitrate as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Total Nitrogen	ND	0.02	mg/L							
LCS										
Nitrate as N	0.492		mg/L							
Nitrate/Nitrite as N	0.492		mg/L	0.5000		98	90-110			
Nitrate/Nitrite as N	0.492		mg/L	0.5000		98	90-110			
Total Nitrogen	0.492		mg/L							
Batch CC72848 - [CALC]										
Blank										
Nitrate as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							
Nitrite as N	ND	0.010	mg/L							
LCS										
Nitrate as N	ND		mg/L							
Nitrite as N	0.253		mg/L	0.2497		101	90-110			
Nitrite as N	0.253		mg/L	0.2497		101	90-110			
Batch CC72849 - [CALC]										
Blank										
Nitrate as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Total Nitrogen	ND	0.02	mg/L							
LCS										
Nitrate as N	0.496		mg/L							
Nitrate/Nitrite as N	0.496		mg/L	0.5000		99	90-110			
Nitrate/Nitrite as N	0.496		mg/L	0.5000		99	90-110			
Total Nitrogen	0.496		mg/L							
Batch CC72924 - TKN Prep										
Blank										
Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
Total Nitrogen	ND	0.20	mg/L							
LCS										
Total Kjeldahl Nitrogen as N	18.6	2.00	mg/L	18.80		99	80-120			
Total Nitrogen	18.6	2.00	mg/L							
Batch CC73019 - NH4 Prep										
Blank										
Ammonia as N	ND	0.10	mg/L							
LCS										
Ammonia as N	0.09	0.10	mg/L	0.09994		91	80-120			



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

Quality Control Data

Analyte	Result	MRL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qualifier
Classical Chemistry										
Batch CC73019 - NH4 Prep										
LCS										
Ammonia as N	1.02	0.10	mg/L	0.9994		102	80-120			
Batch CC73028 - General Preparation										
Blank										
Chloride	ND	3.0	mg/L							
LCS										
Chloride	31.0		mg/L	30.00		103	90-110			
Batch CC73032 - General Preparation										
Blank										
Sulfate	ND	5.0	mg/L							
LCS										
Sulfate	9.6		mg/L	9.988		96	85-115			
Batch CC73050 - [CALC]										
Blank										
Nitrate as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Nitrate/Nitrite as N	ND	0.020	mg/L							
Total Nitrogen	ND	0.02	mg/L							
LCS										
Nitrate as N	0.506		mg/L							
Nitrate/Nitrite as N	0.506		mg/L	0.5000		101	90-110			
Nitrate/Nitrite as N	0.506		mg/L	0.5000		101	90-110			
Total Nitrogen	0.506		mg/L							
Batch CC73110 - TKN Prep										
Blank										
Total Kjeldahl Nitrogen as N	ND	0.20	mg/L							
Total Nitrogen	ND	0.20	mg/L							
LCS										
Total Kjeldahl Nitrogen as N	20.9	2.00	mg/L	18.80		111	80-120			
Total Nitrogen	20.9	2.00	mg/L							



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR

Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

Notes and Definitions

- U Analyte included in the analysis, but not detected
- D Diluted.
- ND Analyte NOT DETECTED at or above the MRL (LOQ), LOD for DoD Reports, MDL for J-Flagged Analytes
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- MDL Method Detection Limit
- MRL Method Reporting Limit
- LOD Limit of Detection
- LOQ Limit of Quantitation
- DL Detection Limit
- I/V Initial Volume
- F/V Final Volume
- § Subcontracted analysis; see attached report
- 1 Range result excludes concentrations of surrogates and/or internal standards eluting in that range.
- 2 Range result excludes concentrations of target analytes eluting in that range.
- 3 Range result excludes the concentration of the C9-C10 aromatic range.
- Avg Results reported as a mathematical average.
- NR No Recovery
- [CALC] Calculated Analyte
- SUB Subcontracted analysis; see attached report



CERTIFICATE OF ANALYSIS

Client Name: AECOM Environment - ENSR
Client Project ID: Orleans MA

ESS Laboratory Work Order: 1703626

ESS LABORATORY CERTIFICATIONS AND ACCREDITATIONS

ENVIRONMENTAL

Rhode Island Potable and Non Potable Water: LAI00179

<http://www.health.ri.gov/find/labs/analytical/ESS.pdf>

Connecticut Potable and Non Potable Water, Solid and Hazardous Waste: PH-0750

http://www.ct.gov/dph/lib/dph/environmental_health/environmental_laboratories/pdf/OutofStateCommercialLaboratories.pdf

Maine Potable and Non Potable Water, and Solid and Hazardous Waste: RI00002

<http://www.maine.gov/dhhs/mecdc/environmental-health/dwp/partners/labCert.shtml>

Massachusetts Potable and Non Potable Water: M-RI002

<http://public.dep.state.ma.us/Labcert/Labcert.aspx>

New Hampshire (NELAP accredited) Potable and Non Potable Water, Solid and Hazardous Waste: 2424

<http://des.nh.gov/organization/divisions/water/dwgb/nhelap/index.htm>

New York (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: 11313

<http://www.wadsworth.org/labcert/elap/comm.html>

New Jersey (NELAP accredited) Non Potable Water, Solid and Hazardous Waste: RI006

http://datamine2.state.nj.us/DEP_OPRA/OpraMain/pi_main?mode=pi_by_site&sort_order=PI_NAMEA&Select+a+Site:=58715

United States Department of Agriculture Soil Permit: P330-12-00139

Pennsylvania: 68-01752

<http://www.dep.pa.gov/Business/OtherPrograms/Labs/Pages/Laboratory-Accreditation-Program.aspx>

ESS Laboratory Sample and Cooler Receipt Checklist

Client: AECOM Environment - ENSR - KPBM/MM

ESS Project ID: 1703626

Date Received: 3/28/2017

Project Due Date: 4/4/2017

Days for Project: 5 Day

Shipped/Delivered Via: ESS Courier

1. Air bill manifest present? No
Air No.: NA

6. Does COC match bottles? Yes

2. Were custody seals present? No

7. Is COC complete and correct? Yes

3. Is radiation count <100 CPM? Yes

8. Were samples received intact? Yes

4. Is a Cooler Present? Yes
Temp: 5.7 Iced with: Ice

9. Were labs informed about **short holds & rushes**? Yes No / NA

5. Was COC signed and dated by client? Yes

10. Were any analyses received outside of hold time? Yes No

11. Any Subcontracting needed? Yes / No
ESS Sample IDs: _____
Analysis: _____
TAT: _____

12. Were VOAs received? Yes No
a. Air bubbles in aqueous VOAs? Yes / No
b. Does methanol cover soil completely? Yes / No / NA

13. Are the samples properly preserved? Yes / No
a. If metals preserved upon receipt: Date: _____ Time: _____ By: _____
b. Low Level VOA vials frozen: Date: _____ Time: _____ By: _____

Sample Receiving Notes:

14. Was there a need to contact Project Manager? Yes / No
a. Was there a need to contact the client? Yes / No
Who was contacted? _____ Date: _____ Time: _____ By: _____

Sample Number	Container ID	Proper Container	Air Bubbles Present	Sufficient Volume	Container Type	Preservative	Record pH (Cyanide and 608 Pesticides)
01	113180	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
01	113187	Yes	NA	Yes	500 mL Poly - Unpres	NP	
01	113194	Yes	NA	Yes	250 mL Poly - Unpres	NP	
01	113204	Yes	NA	Yes	250 mL Amber - Unpres	NP	
01	113215	Yes	NA	Yes	VOA Vial - HCl	HCl	
01	113216	Yes	NA	Yes	VOA Vial - HCl	HCl	
02	113181	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
02	113188	Yes	NA	Yes	500 mL Poly - Unpres	NP	
02	113195	Yes	NA	Yes	250 mL Poly - Unpres	NP	
02	113205	Yes	NA	Yes	250 mL Amber - Unpres	NP	
02	113217	Yes	NA	Yes	VOA Vial - HCl	HCl	
02	113218	Yes	NA	Yes	VOA Vial - HCl	HCl	
03	113182	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
03	113189	Yes	NA	Yes	500 mL Poly - Unpres	NP	
03	113196	Yes	NA	Yes	250 mL Poly - Unpres	NP	
03	113206	Yes	NA	Yes	250 mL Amber - Unpres	NP	
03	113219	Yes	NA	Yes	VOA Vial - HCl	HCl	
03	113220	Yes	NA	Yes	VOA Vial - HCl	HCl	
04	113183	Yes	NA	Yes	1L Poly - H2SO4	H2SO4	
04	113190	Yes	NA	Yes	500 mL Poly - Unpres	NP	
04	113197	Yes	NA	Yes	250 mL Poly - Unpres	NP	
04	113207	Yes	NA	Yes	250 mL Amber - Unpres	NP	
04	113221	Yes	NA	Yes	VOA Vial - HCl	HCl	
04	113222	Yes	NA	Yes	VOA Vial - HCl	HCl	

ESS Laboratory Sample and Cooler Receipt Checklist

Client: AECOM Environment - ENSR - KPB/MM

ESS Project ID: 1703626

Date Received: 3/28/2017

05	113184	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
05	113191	Yes	NA	Yes	500 mL Poly - Unpres	NP
05	113198	Yes	NA	Yes	250 mL Poly - Unpres	NP
05	113211	Yes	NA	Yes	1L Amber - Unpres	NP
05	113212	Yes	NA	Yes	1L Amber - Unpres	NP
06	113185	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
06	113192	Yes	NA	Yes	500 mL Poly - Unpres	NP
06	113200	Yes	NA	Yes	250 mL Poly - Unpres	NP
07	113186	Yes	NA	Yes	1L Poly - H2SO4	H2SO4
07	113193	Yes	NA	Yes	500 mL Poly - Unpres	NP
07	113202	Yes	NA	Yes	250 mL Poly - Unpres	NP
07	113213	Yes	NA	Yes	1L Amber - Unpres	NP
07	113214	Yes	NA	Yes	1L Amber - Unpres	NP

2nd Review

Are barcode labels on correct containers?

Yes / No

Completed

By: 

Date & Time: 3/28/17 1027

Reviewed

By: 

Date & Time: 3/28/17 1029

Delivered

By: 

Date & Time: 3/28/17 1029

